Machine Tool Blue Book

AUGUST, 1935

THIRTIETH YEAR



Attractive Prices—Ask For Catalog No. 35

All styles in stock for Hendey, American, Monarch, Hardinge, Rockford, Sidney, Pratt & Whitney, South Bend, LeBlond, Springfield, Cincinnati, Sebastian, Etc., Lathes. All styles in stock for Van Norman, Hardinge, Burke, Becker, Etc., Milling Machines.

Order from nearest stock - Stocks constantly maintained at:

- HARDINGE BROTHERS, INC., S44 W. Washington Bivd., CHICAGO, ILLINOIS
 HARDINGE BROTHERS, INC., 2970 W. Grand Bivd., DETROIT, MICHIGAN
 HARDINGE SALES CO., INC., 277 Lafayette Street, NEW YORK, NEW YORK
- ECCLES & DAVIES MACHINERY CO., INC., 1910 Santa Fe Ave., LOS ANGELES, CALIF.



anything and everything

pertaining to

FLEXIBLE SHAFTS

S. S. WHITE
offers the widest selection of

- * FLEXIBLE SHAFTS
 for POWER DRIVES
- * FLEXIBLE SHAFTS
 for REMOTE CONTROLS
- ★ FLEXIBLE SHAFTS
 for COUPLINGS

S. S. WHITE is the place to go for engineering cooperation in working out flexible shaft applications or problems. The recommendations of our engineers are yours without obligation. Write us.

■ The S. S. WHITE DENTAL MFG. CO. ■ INDUSTRIAL DIVISION

152-6 West 42nd St., New York, N. Y.

Machine Tool Blue Book

Selected Circulation 20,000 Monthly

AUGUST, 1935

THIRTIETH YEAR

Machine Tool Recovery


"Unlooked-for was the tremendous gain in the dollar volume of machine tool orders last month that brought the index up to 91% of the 1926 average, the best June level since 1929. Most encouraging is the appearance of such volume in normally dull summer months. Toledo is adding to shop payrolls as motor manufacturers place orders for new fall models. Cincinnati, Chicago, and West Coast tool centers see the best summer's business in 6 years. The September show, first since 1929, apparently will come at a propitious moment, and should carry the year to a brilliant close."—Business Week, July 20, 1935.

Published By

Hitchcock Publishing Co. 508 S. Dearborn St., Chicago, Ill.

Consult the Classified Finding Index for your requirements

750 Holes Per Hour ... 22 Hours Per Day



ATLAS Drill Presses are doing real production work for the U.S. Pressed Steel Products Company, working 22 hours a day, with the spindle running at 5200 R. P. M. Week in and week out, these Drills are run at this high speed practically constantly, doing an automotive parts job. What could be a stiffer test for stamina in a Drill Press? Yet ATLAS Drill Presses are standing up under this and many other similar jobs and maintaining their accuracy. They will do the same in your plant. The cost is surprisingly low for such quality. Prices range from \$13.95 to \$37.95. Made in four sizes. Bench and floor models. See them at your jobber's, or write direct for descriptive catalog of these and other ATLAS Tools.

ATLAS PRESS COMPANY

1850 N. Pitcher St., Kalamazoo, Mich.

Complete display at ATLAS SALES CO., 35 E. Wacher Drive, Chicago

SUNDSTRAND BALANCING TOOLS

Save time and money. Antifriction discs; strong, well made, economical. Range in size from No. 1 Bench, with capacity for 800 lbs., to No. 5 Extra Heavy, with capacity for 24,000 lbs. Others available for balancing airplane propellers, balancing and drilling flywheels, pulleys, etc.

Write, today, for details on these and other Sundstrand cost-cutting products.



No. 56 illustrated, others available. Fast, accurate, an operation saver, a mighty profitable investment.



BENCH CENTERS



Accurate, compact, portable. Adjustable heads. Quickacting spindle. Seven sizes.



These Sundstrand tools, like our Lathes and Milling Machines, cut costs and make work easier. " " INVESTIGATE! Address our Dept. H for details.



With this RIGOID Compound Leverage Wrench

1 Man Is as Strong as 10

TIGHTEN a big fitting? Tighten up to 6' pipe? Loosen a tight pipe? Loosen a rusty fitting? One man can do any of them easily with a RIEDID Super-Six or Super-Four, those compound leverage wrenches that make one man as strong as ten pulling on a wrench with pipe on the handle.

For these wrenches have 10 times the leverage of 48° and 36° wrenches. Chain the trunnion quickly on the pipe, put the wrench on the fitting—and the fitting pumps right off. This Super-RECOLD will pay for itself in salvaged fittings alone on your first tear-down job.



You'll find the Super-Six and Super-Four two of the most valuable tools in your kit.

Ask your Jobber

The Ridge Tool Co., Elyria, Ohio, U.S.A.



Super-Performance

Pipe Wrenches

Cutters

Vises

Threaders

for MODERN SHOPS...

the improved No. 13 Simplex Drill. The design of this drill has been refined and perfected to continue to meet modern production requirements efficiently.

Entire head travels up and down on the column. Spindle is stationary and forms part of the head. Mounted on two radial thrust ball bearings, it is adjustable for wear. Has a four-step sheave pulley which gives tremendous pulling power at all speeds without any slip.



With special attachments, The No. 13 Simplex can be used for small tapping, grinding and polishing.

Here is a tool—simple in operation—of sturdy construction—well-suited for general utility—and at a price which is unusually reasonable!

Resale price [without motor] \$2400

Write for bulletin 2844-A

BUFFALO FORGE COMPANY


161 Mortimer St.,

Buffalo, N. Y.

In Canada: Canadian Blower & Forge Co., Ltd., Kitchener, Ont.

"Buffalo" No. 13 Simplex Drill

New "O.K." Face Milling Cutters



NOTE-These Cutters are manufactured by O. K. Tool Co., and have drop forged inserted high speed blades.

| Size | Hole | Price | Size | Hole | Price | |
|------|------------|---------|------|------------|---------|--|
| 4* | 11/4 | \$ 8.80 | 9" | 11/4, 11/2 | \$25.00 | |
| 5* | 11/4 | 10.00 | 10* | 11/4, 11/2 | 30.00 | |
| 6* | 13/4 | 12 00 | 12* | 11/2 | 40.00 | |
| 7* | 11/4 | 16.00 | 14* | 11/2 | 50.00 | |
| 8* | 11/4. 11/2 | 20.00 | 16* | 11/2 | 70.00 | |

Furnished right hand unless otherwise specified.

NOTE-Arbors for above Six Dollars Each, furnished in any B. & S. types, Nos. 9, 10, 11.

Victor Machinery Exchange, Inc. 251 Centre St., New York, N. Y.

... For Stacking and Storage of Boxes and Pans USE STACKRACKS



Write for circular.

For prices specify outside dimensions of boxes to be stacked.

State approximate weight of contents.

Patenta Pending

Saves Space, Time, and Labor


Store boxes and pans in an orderly manner—one on top of the other. Each stored unit is easily and quickly accessible as the top one...each stored unit can be moved, changed or replaced without disturbing any other.

The STACKRACK is ideal for use on assembly floor, in machine shop, under work bench, and for stockroom control. In fact, STACKRACKS can be used to advantage wherever you have a storage and stacking problem. STACKRACKS are made in single units. They are constructed of angle and formed steel parts, welded together. Each rack automatically locks securely in position on the rack undermeath.



IMPROVEMENTS ON NO. 2 MOTOR DRIVEN ECONOMY POWER HACK SAW MACHINE

The Motor Application for the No. 2 Economy Power Saw, manufactured by the W. Robertson Machine & Foundry Co., 57 Rano St., Buffalo, N. Y., is clearly shown in this illustration.



On most hack saws the trip or automatic stop is usually actuated through levers to a friction clutch, stopping the frame only. On this model a projecting finger contacts a push button type switch and stops the motor as well as the frame and does away with any complicated clutch mechanism. On former models the worm gears were partially exposed. This new type is totally enclosed and runs in an oil bath with gland at shaft end. The electric motor is connected to a worm shaft through a smooth type flexible coupling. This makes a very quiet running tool. All frequencies of the electric current are taken care of by using only two sizes of worm gears.

This machine is 6x6" capacity, has a 6-inch stroke, takes blades from 12 to 14". Vise swivels to 45 degrees for cutting at angles. Is equipped with our hydraulic lift which relieves the blade teeth of all back drag and positively prevents the frame from falling on work and injuring the operator or the blade.

Economy Power Saws are also made in sizes up to 13x16" and in different operating speeds to take care of practically all kinds of metal cutting.

Angle Steel Stool Company Plainwell, Michigan

Manufacturers of standard office and factory
Steel Equipment,

We specialize in Special Equipment.

Also Auto accessories manufacturers equipment.

Desks and Mailing Tables—Various sizes, styles and kinds.

No. 38 FOREMAN'S DESK, illustrated, is one of our several patterns designed for your every requirement.



Direct Factory Representatives:

ANGLE STEEL EQUIPMENT COMPANY, 9 S. Clinton St., Chicago, Ill. Phone Randolph 1570.

W. H. KELSEY, 3502 Berkeley Rd., Cleveland Heights, Ohio Phone Yellowstone 3426.

F. W. THIELKE, 2735 N. 45th St., Milwaukee, Wis.


E. E. JOHNSON, 415 Fifth Ave., Des Moines, la. Phone 4-6273.

ANGLE STEEL STOOL SALES COMPANY, 98 Park Place, New York City Phones Braclay 7-5559 & 7.5560.

NEW TOOLROOM THREAD GRINDING MACHINE

The new motor-driven toolroom type Thread Grinding Machine, shown in the illustration, is made for the finish grinding of high precision screw threads for external and internal gages and taps, and hardened production thread parts.

The machine is motor driven by means of a suitable 2 H.P. motor mounted at the rear of bed, and the drive then extends to a backshaft and from



there to the cone pulley. This gives six workhead speeds. Eight wheel spindle speeds are obtained by means of a grooved pulley on the shaft shown overhead, which shaft

is driven by a 1 H.P. motor.

The machine has a master leadscrew which, protected from grinding dust and dirt, enables the obtaining of an accuracy of leadscrews to plus or minus .0001". The leadscrew has a correcting device shown at the front of the machine. A suitable water pump and piping is furnished for wet grinding to get a good finish on the screw threads and carry away the emery dust. A diamond truing device is furnished, whereby 60° threads or other angles can be obtained and also Whitworth threads.

A vertical microscope is fitted over the top of the wheel and this provides a means for controlling the profile angle of the wheel and of the work piece during the grinding process. The grinding wheel head can be tilted to any suitable angle of helix formed by the threads to be ground.

This machine can be used for grinding male threads from 18" to 6" in diameter and up to 12" in length between centers. Grinding of male threads is done between

first a MARVEL No. 8 BAND SAW

for Universal work



will handle any job ... the lightest, most delicate work, as well as extremely large and heavy work to 18"x18"; will cut accurately, straight and square; will cut at any angle, to 45 degrees to right or left; will do notching, blocking, coping, and roughing-out work. With a No. 8 MAR-VEL, no job will "stump" you. As builders of a most complete line of saws, we unhesitatingly recommend "a No. 8 MAR-VEL Band Saw first."

Armstrong-Blum Mfg. Co. "The Hack Saw People" 341 N. Francisco Ave., CHICAGO

PRECISION JIG BORING MADE EASY with Flynn Micrometer Boring Heads

Compact Accurate Rigid



Offsets or Runs Concentrie

Write today for complete information on all styles and sizes

FLYNN MANUFACTURING CO. 435 Bates St., Detroit, Mich. centers, the work piece being driven by suitable dogs. For female threads, the grinding capacity is from $1\frac{1}{4}$ to 5" inside diameter.

A corrector for temperature is also furnished to take care of variations in temperature from 32° to 68° Fahren-

heit.

This new Thread Grinder is manufactured by the Societe Genevoise D'Instruments De Physique, Geneva, Switzerland. For further information write to the Triplex Machine Tool Corporation, 125 Barclay St., New York City, Sole American Agents.

THE GLENCO COMPENSATING TOOL HOLDER

The J. C. Glenzer Company, 6463 Epworth Boulevard, Detroit, Michigan, has added to its line of utility tools a Compensating Tool Holder which automatically compensates for machine spindle mis-alignment, thereby producing true and accurate tapped and reamed holes.

Much time is wasted and plenty of scrap is made trying to produce accurate tapped or reamed holes with spindles of machines out of alignment with the work, requiring the altering of taps and reamers to overcome machine conditions by

the cut-and-try method.

Glenco Compensating Tool Holders help to solve these problems with standard taps and reamers by eliminating large and bellmouthed holes which go into the

scrap heap.

Five standard stock sizes of holders are made with capacities up to 5 inch tool diameters, in types to fit hand and automatic screw machines, Garvin tappers, adjustable multiple spindles, and drilling and tapping machines of all types.

Only 11 different parts are used in the construction of Glenco Compensating Tool Holders, which are held to close tolerances, making them interchangeable and easily

assembled.

Since all parts are hardened and ground, wear is negligible. Therefore, repair or service units will fit correctly in holders which have seen extended service.

Immediate delivery on some sizes. Special or larger

holders than standard can be made up promptly.



WARDWELL MODEL E-C COMBINATION Automatic Saw Sharpener

WII

Reduce Saw Purchases and Increase Your Cutting Speeds

Power hack saws, metal and wood cutting band saws, all types of metal cutting circular saws, sharpened automatically in this improved Wardwell Grinder, at a speed of 30 to 75 teeth per minute. The machine accurately sharpens saws as fine as 32 teeth to 1*.

Circular Free Upon Request

WARDWELL MFG. CO.



BENCH

Sheldon Arbor Presses



Sheldon Milling Machine Vises.

Sheldon Drill Press and Shaper Vises.

Sheldon 90° Angle Plates.

Write for illustrated price list.

Sheldon Machine Company
3255 Cottage Grove Ave., --- Chicago, III.

17

NEW LEHMANN "HYDRATROL" LATHE

The Lehmann Machine Co., St. Louis, Mo., announce their new Hydratrol Lathe, which incorporates many original features. These new mechanisms have been thoroughly tested and have shown no deterioration after being operated to the extent of reasonable life expectations.

Notable among the new features are the hydraulically operated speed changes. The pulley drive shaft carries three hydraulically operated friction clutches, one of



which provides eight reverse speeds, and the other two the initial speed progression for the sixteen forward speeds, selectively functioning through the selector valve and operatively through the control valve. They require no adjustment and provide ample capacity—25 h.p., on 16" and 18" and 40 h.p. on 22" and 24" sizes. A conventional gear arrangement has three hydraulically operated external and internal gear type double positive clutches to complete the sixteen spindle speed changes which are in almost exact

geometrical progression.

Speed changes are effected by turning a three-lever handle on front of headstock. This may be turned without intermediate stop to any speed desired without disengaging friction driving clutch. Coordinating with the movement of the handle is the automatic slide rule which shows spindle revolution per minute and indicates a slide rule calculation of the cutting speeds in feet per minute. Diameters of work within the ranges of the lathe are given on the sliding member and register with the effective cutting speed on the stationary scale. Calculation by operator is unnecessary. The speed changing handle is moved until the diameter of work registers with specified cutting speed in feet per minute and the lathe automatically makes the necessary changes.

The control lever has three positions—forward, stop and reverse, and is extremely sensitive. Set for a speed of 96 r.p.m., the spindle can be started and stopped twenty to thirty times in one revolution, a useful feature for inching

spindle around to desired position.



Acme Standardized **Drill Jig Bushings**



Acme Drill Jig Bushings are a standardized product, carried in stock for prompt delivery in over 6,700 standard items. They are completely finished and ready for use. The Bushings are made by the most exacting scientific methods, which insures long wear, accurate fit and absolute satisfaction. Special sizes made to order.

Send for our Bulletin, which gives complete details, sizes available, and low prices.



ACME INDUSTRIAL CO. 419 N. Carpenter St., Chicago



SPEED Reducers

Fractional Horse Power Finest Materials **Ball Bearing**



Send for Dimensions. Ratios and Prices Bulletin No. 800





4832 W. 16th St., Cicero, Ill.

We also Manufacture Gears of all Types and Materials.

protection is located inside the base and is operated through a control switch. A hand brake is conveniently located at the front of the machine and actuates the motor control switch, disconnecting the motor when the brake lever is pulled forward to apply the brake. When the hand brake lever is moved rearward, the brake is released and the circuit opened.

MILLIGAN & WRIGHT FLOOR MODEL BLUEPRINTER

A new model of the Angstrom lamp Blueprinter is announced by Milligan & Wright Co., 4613 Prospect Av., Clever land, Ohio. This one is a floor model, with a novel arrangement for the washing and fixing trays and drying boards provided in the base. The photograph shows these trays extended for use. They can then be slid back into the base so that the floor space re-



quired is only 28x30".

The use of an incandescent lamp for blueprinting permits utilizing simple inexpensive equipment, capable of being plugged into any 110 volt A.C. or D.C. light socket, but heretofore the long exposures required made it impractical. This equipment produces prints with exposures of 3/4 to 11/2 minutes, depending upon the drawing and paper used. The time switch cuts off the current at the end of the exposure selected, further simplifying the operation.

Concerns without blueprinting equipment will find, according to the manufacturers, that prints can be produced on the Blueprinter for about three cents.

Model 200 has a capacity of one 18x24 or several smaller prints at one time.

(Continued on Page 24)

Willful Waste-Penalizes Profit

WHEN you tie up the big, husky, expensive machine tool with a small job you are deliberately running up needless items of expense.

You are wasting floor space, consuming the operator's energy because he is put to undue strain to adhere to

the limits required.

Put the small and medium jobs where they belong — on the "Standard" Hand and Weight Feed Milling Machine. This versatile little tool is quickly set up, accurately adjusted and smoothly operated.

Every control is constantly under the touch of the operator and he produces accurately without effort.

If you need a small miller, this is it. The full details are proof and a copy of the

Bulletin comes on request

The Standard Eng. Works, Inc.

Manufacturers of Hand and Weight Feed Milling Machines; Hand, Weight and Power Feed Milling Machines: Hand, Weight, Power Feed and Automatic Spline Milling Machines.

LOWER DRILL JIG COST



No. 2 Standard

Plain

Miller

THAN YOU EVER HAD BEFORE!

with

"JOHN'S"
Universal Drill Jigs

Made In 6", 8" and 14" Sizes.

Here is a production tool that will reduce your tooling coals. INTEE-CHANCEABLE JAWS or STAND-ARD "Y" JAWS keep the jips in constant operation so they will handle practically any production job. Reduces loading time, maintains accuracy and gives plenty of chip room. Outlasts the ordinary drill press.

Write for the Illustrated Folder


Mnf'd By HEUSER MFG. CO., 1638 N. Paulina St., CHICAGO. ILL.

motor has fees to facilitate mounting, which may be either horizontal or vertical. These are sturdy, compact little jobs for which the manufacturer claims unusual dependability. They are provided with ample oil reserves for long continuous operation.

HOLO-KROME "FIBRO FORGED" SOCKET SCREWS

The Holo-Krome Screw Corporation, Bristol, Conn., has just issued a most attractive catalog illustrating and describing in detail their new line of Fibro Forged Socket Screws.

These screws are made by a new manufacturing process which retains all the original fibrous structure of the metal. These contin-



uous fibres, so essential in today's rapid production schedules, run from one end of the screw to the other. They originate in the shank and continue uninterrupted, unbroken and uncut around the socket bottom between it and the shoulder of the sccrew, terminating in the socket walls, thus giving greatly increased strength.

The sockets themselves are uniformly accurate to their full depth, of true hexagonal shape and with well defined corners. Diameter, top and bottom, is exactly the same. The square shoulders are free of tool marks or other blemishes of any kind, giving the screw, in addition to its strength and dependability, an attractive appearance.

Besides describing and illustrating this new product, the catalog contains many useful pages for users of socket screws, such as data pertaining to threads, formulae for determining thread lengths, socket and wrench data, etc. A copy may be obtained by writing to the Holo-Krome Screw Corporation.

Abolish Expensive Hand Finishing

with a



Simplex-M Abrasive Band Grinder

This Grinder accelerates production and cuts costs. Hand emerying or filing operations are antiquated in comparison. The use of this new modern machine assures etraight grain finishes with sharp edges. Details of this and other styles and sizes on request.

WALLS SALES CORP., 96 Warren Street NEW YORK

Gem Drill Press Vises

No. 1 Vise



Price \$18.00

Made of Malleable Iron.

Tool steel jaws with "V" grooves and
accurately ground.

| Length over all Width | | Depth of jaws 2" Jaws open 3½" |
|--------------------------|----|--------------------------------|
| Height | 4" | Weight 18 lbs. |


We also manufacture larger vises

Circular on request

J. E. Martin Tool & Die Works
518 W. State St.,
Springfield, Ohio

27

WALL'S "HORMEL-M" BAND GRINDER



The Walls Sales Corporation, 96 Warren St., New York City, announce a new Band Grinder, the "Hormel-M" to be used for roughing, smoothing and fine finishing which will leave a straight grain finish with sharp edges.

The Grinder is ball bearing throughout and is equipped with Alemite greasing system complete with grease gun. An eccentric tension device for quick change of abrasive bands by means of a lever, does away with tightening or loosening of nuts and perfect band aligning is assured.

Table size is 4½x9"; belt size 4x36½"; non-slip pulleys are 3½x4½"; motor is ½ h.p., 1750 r.p.m., heavyduty, ball bearing with extra heavy ½" diameter shaft. Specially designed head permits cool operation and prevents dust and dirt getting into motor. Has adjustable bevel attachment always close to grinding table at any angle. Constructed to eliminate vibration.

THE JOHNSON SHUR-GRIP DRILL VISE AND FIELD MOULD AND LADLE



pare drilling jobs.

The Johnson Tool Co., Inc., 65-67 Massasoit Ave., East Providence, R. I., are the makers of the Shur-Grip Drill Vise, designed to cut the time necessary to pre-

(Continued on Page 30)



Hundreds are Using K & B Hand Magnets To Increase Profits YOU can TOO!

ERE'S the simplest, least expensive, and fastest working tool ever offered for separating iron or irony magnetic stock. Also for handling in bulk small hardware, nails and materials difficult to get hold of. It is the standard tool in the trade—used from coast to large and small concerns slike.

Always ready, instantly adjusted, it often pays for itself in sorting one shipment. As easy to handle as an electric iron, plugs in any lamp socket. Buy one and join the army of satisfied K & B Hand Magnetisers.

Write for List of Users and Complete Information

Metals Coating Co. of America



The Shur-Grip has built in parallels for locating flat, square or rectangular parts. Jaws also contain two V-grooves for holding rounds up to 2" in diameter. One of these grooves runs lengthwise of the jaws, the other crosswise. The vise can be used from three ways and the handle is swiveled on the screw so that no time is lost looking for a handle to fit. The jaws which are made of steel and hardened are 5" wide and will open 5". Total weight is only 15 pounds.

The Field Mould and Ladle is another product of the Johnson Tool Co. It is designed to enable anyone to make his own soft-metal hammers.

Such hammers are invaluable in practically every trade that requires hard blows on polished surfaces without resulting injury. The Field Mould and Ladle is simple to operate—a boy can do it. All that is necessary is to melt the metal, then a slight depression of the handle causes the metal to flow into the mould and surround the end of the handle. There is no chance of the

head of this hammer being jarred off, and after it has been used so much as to become shapeless, it can be re-melted and used to form a new head. Ladle can also be used for other purposes, such as babbitting bearings, etc.

The Johnson Tool Co., Inc., also makes a similar mould and ladle to use in making 4" soft metal jaws for bench vises. This operates in the same fashion as the hammer mould, and its advantages are obvious where fine finished work is desired.


NEW ELECTRODE HOLDER PROVIDES PERFECT PATH FROM GENERATOR TO ARC

The new Metalweld Navy-Type Electrode Holder and Shur-Grip Clamps, in addition to being the most practical holder ever marketed for general welding purposes, positively eliminates poor contacts along the path from the generator to the electrode, thus preventing the most frequent cause of "porous welds" says an announcement from the manufacturers, Metalweld, Incorporated, 26th and Hunting Park Avenue, Philadelphia, Pa.

PRODUCTION No. 601 ELECTRIC POLISHER

SAVES A LOT OF TIME—

Smoothing-up Surfacing Polishing or Burring Small Work



Its' Handy

Its' furnished complete with Motor and Cord ready to plug in your socket.

Lowest Priced Belt Surfacer of Its Size.

WRITE

Production Machine Co., Greenfield, Mass.

PUT THIS CLEANER

TO

YOUR OWN TEST





CLEMENTS CADILLAC

Ball-Bearing
Portable Electric

BLOWING — SUCTION EQUIPMENT

Delivers dry air, free from oil, at terrific velocity but low pressure. Safely CLEANS motors, machinery, intricate equipment. Convertible for suction cleaning, or spraying. Four models for all industrial purposes.

ASK FOR FREE TRIAL

-The most versatile Shop Toolover 30,000 now in use in Factories, Mills, Machine Shops.

Clements Mfg. Co. 6650 S. Narragamett Ave., CHICAGO. ILL.

The novel construction of this new type electrode holder provides tact, eliminates springs, lever and soldered joints. keeps the handle from heating and, due to its long fibre handle, permits the welder to grasp the holder close to the electrode assuring complete control of the electrode under all conditions. These features, coupled



with simplicity of design, which eliminates joints to work loose and parts to get out of order and be replaced, make it an ideal holder for all types of arc welding work.

With this new type holder the electrode is held in a vise-like grip, yet a slight twist with a fresh rod releases the old stub and another twist in the opposite direction places, the new electrode in the jaws of the "vise," and the welder is ready to strike his arc.

The outstanding features of this type holder have been recognized by the Philadelphia Navy Yard, where there are now over 300 in use.



MOSSBERG Safety Carboy Rocker

A simple, strong and efficient metal pouring device for handling acids and corrosive chemical solutions safely. It is light in weight, takes up little room and will give years of service—PRICE \$7.50. Write for further details.

Mossberg Pressed Steel Corp. Attleboro, Mass., U. S. A.



No. 3 Hand Feed Milling Machine Write for Circulars

BURKE

Milling Machine

This milling machine is designed to speed up and economize the milling of work too small to be profitably handled on larger millers.

It is one of a line of five millers that are fast, accurate and dependable.

Either ball or plain bearing spindles

The Burke Machine Tool Co., 297 E. 16th St., Conneaut, Ohio



SERVICE

FLEXIBLE SHAFT MACHINES

Type MP 5-14 H.P.



ROTARY FILING GRINDING SANDING-POLISHING DRILLING-REAMING

NUT SETTING SCREW DRIVING AND MANY OTHER OPERATIONS

N. A. STRAND & CO.

MANUFACTURERS 5001-5009 No. Lincoln St., CHICAGO, ILL.

33

NEW EQUIPMENT TABLOIDS

The manufacturers will be pleased to send full information upon request

The Landis Tool Co., Waynesboro, Pa., announce a new series of Plain Hydraulic Grinders to be known as Type D. They are made in 10, 14 and 16-inch sizes and in lengths of 18, 36, 48 and 72 inches. These machines are used for grinding crankshaft line bearings, tinning rolls, camshaft main bearings, motor armatures, etc.

The Warner & Swasey Co., Cleveland, Ohio, are placing on the market a new No. 4 Universal Turret Lathe, designed to utilize cemented tungsten-carbide and high-speed steel cutting tools. The swing of the machine is 181/4" and it has a bar capacity of 13/4".

The Adrian X-Ray Mfg. Co., 3535 N. Palmer St., Milwaukee, Wis., have developed a machine to inspect products fluoroscopically as they pass along a conveyor line. As the products pass through the machine, the operator looks through an eyepiece and gets an interior view of each part and can easily reject any part that does not come up to requirements.

The Sebastian Lathe Co., Cincinnati, Ohio, are introducing a new line of low-priced, motor driven, cone-head lathes, having swings of from 10 to 20 inches.

The Star Machine and Engineering Corporation, Bloomfield Ave. and Grove St., Bloomfield, N. J., are putting on the market a precision Drill Grinder capable of accurately sharpening eighty-one sizes of drills.

The Wiedemann Machine Co., 1815 Sedgley Ave., Philadelphia, Pa., announce their Type R-4P motor driven deepthroat Turret Punch, made in three standard throat depths—18, 24 and 28". Special depths can be made to order.

The Millholland Sales & Machine Co., Indianapolis, Ind., have developed a smoke-hole drilling machine for passenger car, truck and diesel pistons.

34



Two, Three and Fourway Valves

Foot Operated Lever Operated Also Solenoid Operated

It may be a simple matter to change a leather washer in an air valve to stop a bad leak, but it isn't the cost of the change that is important, it is the cost of the air lost during the weeks prior to the change. Further, this air loss and leather washer change in some makes of valves continues on year in and year out. Nicholson Valves are made of non-corrosive metals, are soap bubble tight, and remain so over periods as long as six years without maintenance of any kind.

Sent on trial. Bulletins on request.

W. H. Nicholson & Company

Let Your Losses Stop with the Broken Tap

Don't halt production and pay skilled mechanics to dig it out, often injuring the work.

A Handy Walton Tap Extractor

Will forstall these unnecessary losses. Insert its flutes into the broken tap, twist the end—an apprentice can do it in a jiffy—and the tap backs out without injury to the threads.

Made in three and four flute styles.

Let us send it to you for a sixty-day free trial

The Walton Company
95 Allyn St., Hartford, Conn.

New Equipment Tabloids-Continued

Of interest to the manufacturers of automotive equipment is the new No. 11 single-cycle gear-finishing machine now being placed on the market by the Gleason Works, 1000 University Ave., Rochester, N. Y. This new production machine, it is claimed, employes the fastest method yet devised for finish-cutting spiral-bevel and hypoid ring gears.

The Independent Pneumatic Tool Co., 600 W. Jackson Blvd., Chicago, Ill., is introducing a line of Thor balancers ranging in capacity from 10 to 200 pounds. These balancers are intended for suspending portable tools above benches or assembly lines and for use as small hoists.

The Ingersoll Milling Machine Co., Rockford, Ill., announce that they have adopted the Zee Lock principle to a line of side milling cutters. Various styles are included, such as right and left-hand half-size cutters, staggered-tooth or alternating-angle cutters for slotting or key way operations, etc.

TRADE LITERATURE

The Bureau of Foreign and Domestic Commerce, Washington, has published a pamphlet prepared by Mr. O. C. Halleran, of the Marketing and Research Division, entitled "Check Sheet," describing in simple language the essential factors which should be taken into consideration in bringing out any new industrial product. It may be obtained from the Bureau at the price of five cents per copy.

"Thermit Welding — Industry's Master Maintenance Tool," is the title of a new illustrated sixteen page booklet just published by the Metal & Thermit Corporation, 120 Broadway, New York, N. Y. It describes Thermit Welding, an alumino-thermic process which has been successfully employed for more than thirty years in the welding of heavy sections of ferrous metals.

The Medart Co., 3500 De Kalb St., St. Louis, Mo., have ready for distribution their new catalog No. 56 T. This 144-page catalog describes and illustrates fully their line of power transmission equipment.

ARMSTRONG

Spring
Cutting-Off Tools

Saves: Blades, Stock, and Machine Hours Make Cutting-off an easy operation

The "goose-neck" form of this ARMSTRONG TOOL HOLDER gives it a resiliency that prevents work from climbing the blade, prevents tool breakage, spoiled work and loat machine hours. With these improved "spring" tools, cutting-off is just another lathe operation—the usual "touchiness" and high cost are eliminated. They come "Straight", "Right Off-Set" and "Left Off-Set" in sizes for all lathes and some automatic screw machines.

Write for Catalog

ARMSTRONG BROS. TOOL CO.

" The Tool Holder People"

308 N. Francisco Ave.,

CHICAGO, U.S. A.

WITTEK AUTOMATIC Roll Feeds FOR PUNCH PRESSES Will feed from 0° to 30° per stroke. Fish any size or make of press.

Accurate Automatic

Low in first cost. No upkeep. Built with or without straightener to meet all feeding conditions.

Write for Bulletin FH and free trial offer.

WITTEK MFG. CO

CHICAGO, ILL.

New Equipment Tabloids-Continued

The Lukens Steel Co. are celebrating their one hundred and twenty-fifth anniversary this year; and to commemorate the occasion have issued a 16-page booklet, printed in rotogravure. It is fully illustrated with photos and drawings showing the changes and developments of the past century and a quarter, as well as giving a history of their own business.

The Greenfield Tap & Die Corp., Greenfield, Mass., have just issued their Small Tools Catalog No. 35, 384 pages of the latest information on taps, dies, twist drills, reamers, screw plates, gages, pipe tools and screw extractors.

Schauer Machine Co., Cincinnati, Ohio, have ready for distribution their Circular No. 351, describing their Ideal Line of motor-driven Speed Lathes, designed for finishing, polishing and lapping of small parts.

Socony-Vacuum Oil Co., Inc., 26 Broadway, New York City, have just issued a pamphlet entitled "Facts About Metal Cutting, Stamping and Drawing." It contains much useful information about the proper coolants to be used on various materials and operations.

The Apex Machine Tool Co., Third and Madison Sts., Dayton, Ohio, have just issued their catalog No. 8, showing the entire line of Apex tools for the metal-working plant.

The Sheldon Machine Co., 3255 Cottage Grove Ave., Chicago, Ill., has just issued Bulletin No. 23, containing a complete description of the Sheldon 11" Lathe and its accessories.

General Abrasive Co., 3409 Hyde Park Blvd., Niagara Falls, N. Y., have issued a revised edition of their booklet entitled "Modern Polishing," which contains useful information for those interested in polishing operations.

38



PANT

Riveters-Pioneers

in their line—Head rivets from smallest to %" diame ter either by NOISELESS SPINNING or VIBRAT ING HAMMER method— Sizes to meet all needs— Types include Vertical and Horizontal Multiple Spindles.

Write for literature—an don't forget to send samples.

The Grant Mfg. & Machine Co. C. E. Station, Bridgeport, Conn.

Chicago Steel Power Shears



Lengths 3 to 16 ft.

Capacities, 14 ga. to 19 Plate.

Unbreakable Steel Construction.

All Modern Features for Fast and Accurate Shearing.

Send For Catalog

DREIS & KRUMP MFG. CO.

Pioneer Manufacturers of Steel Plate Constructed Sheet Metal Working Machinery

7440 Loomis Blvd.,

CHICAGO, ILL.

TAPPING DEVICES

HAVE BEEN OUR SPECIALTY FOR OVER 25 YEARS

NOW THE NEW "PROCUNIER"

SENSITIVE HIGH SPEED

FRICTION DRIVE At Spindle Speed

TAPPING ATTACHMENT

> FRICTION REVERSE At Twice Spindle Speed

BALL

Also other sixes and styles



BEARINGS

Write for our catalog with prices

PROCUNIER SAFETY CHUCK CO. -2-

14 S. Clinton St.,

Chicago, III.

Hard Usage Doesn't Phase The Hartford Milling Vise

Because it was designed to "take it"—and it does! It will stand up, day after day, under the heaviest, toughest strain of production milling work. Made of the best materials, with all parts interchangeable, it will outlast four or five ordinary vises. Rapid and accurate in operation—the top eccentric handle gives tremendous binding force, while the lower camfaced handle gives instantaneous quick-opening and return. A trial in your shop will convince you better than anything we might say.

Write for Folder and Complete Deiails



| | 51 |
|--------------------------------|----|
| Jaw depth 1 Maximum opening | 42 |
| Maximum opening 3 | 62 |
| Weight40 | bs |

Also made in the swivel-iaw type with hard or soft jaws, maximum opening 21/4".

We also Build Machinery on a Contract Basis, Design and Develop Special Automatic Machinery-Gears and Came Cut to Order.

Hartford Special Machinery Co., 285 Homestead Ave.

VANDERBEEK UNIVERSAL JOINTS

The GIANT with hardened and ground working surfaces for heavy duty.

The Baby Giant

For instrument and control work. The Vanderbeek Ball Joint runs to 70 degree angle.

Write for prices and state your requirements

AMERICAN TOOL WORKS, Inc.

25 High Street, Hartford, Conn., U. S. A.

No. 28 Toggle Lever Foot Press

A Very New Modern Machine Durably Built

CAPACITY: 2" hole in 16 gauge. Throat depth 7"; height of throat 4". Stroke of ram: 1" travel.

Speed of machine 100 holes per minute.

Toggle action makes it a very powerful Foot Press.

WRITE FOR PRICES AND CATALOG ON ENTIRE LINE

Whitney Metal Tool Co. 95 Forbes St. Rockford, III.

For Light and Heavy Etching

With 24 Stages of Control.

The LUMA Master Etchtool fulfills every marking requirement that can be done by an electric Etching outfit.

A Production Tool with as many as 24 different stages or varieties of control for regulating the depth of marking, this tool can be used for extra light marking of machinest scales, micrometers and fine tools or can be used or extra heavy and deep marking of rough and unfinished iron, cast iron, forgings, steel plates, etc.

Send for circular giving complete data and details of this modern lastrument.



LUMA ELECTRIC EQUIPMENT CO.

DEPT. H .- Main P. O. Box No. 132-TOLEDO, OHIO

Anderson Ever

Exceedingly Sensitive



Balancing Ways

Easy to Manipulate

Made in six sizes to balance anything that revolves from a crank shaft to a 24,000 lb. turbine rotar. They require no special leveling, so adjustment, and no centers.

Equipped with glass-hard spindles, chilled steel discs, and especially sensitive ball bearings, to give accurate, long time service.

| "Swing" | 20* | 40* | 60* | 72* | 96* | 72* |
|--|-------------------|-------------------|--------------------|--------------------|----------------------------|--------------|
| Greatest distance bet, standards. Capacity in lbs. Approx. abiquing weight | 20° 1000 45 | 30° 2000 90 | 30* 2000 150 | 66° 5000 350 | 88" 10006 650 Ben | 201 24000 |

Anderson Bros. Mfg. Co.

1915 Kishwaukee St., Rockford, Ill.





Handes Grinder



Weighs 12 ounces. 6" long, 15%" diameter. Fastest and most powerful portable tool for its weight and type ever developed.

Price \$18.50
complete with 6 Chicago
Mounted Wheels.

10 Days Trial

ional C TOOL

Demonstration Or Write For Unformation

MFG. COMPANY
CHICAGO, ILLINOIS



Send For Our New 208 Page Catalog

E. A. BAUMBACH MFG. CO. 1810 South Kilbourn Ave., CHICAGO, ILLINOIS

"ALNOR" Pyrometers

For every requirement Inexpensive-accurate-durable

For over 15 years "Alnor" pyrometers have been the choice of thousands of bothlarge and small shopsevery where. Because of their lower price and compact size they are extensively used for indicating temperatures of molten lead, babbitt, tin and die cast metals, heat treating furnaces, for flue gas temperatures, and similar service. Also other types of portable and wall pyrometers for every requirement.

Write for Information.



\$13 to \$36 and up depending on type and application.

Illinois Testing Laboratories, Inc.

150 W. Austin Ave., -:- Chicago, Ill.

35 Year's Experience

HOW

-can our advertisers know that your inquiry comes from Hitchcock's Machine Tool Blue Book unless you tell them? When writing them, won't you kindly say just where you saw their ad?

Thank you!



DIES,
MOULDS
and METAL
PATTERNS
mode casy
With—
The
EKLIND
Universal
HighSpeed
MILLING

MILLING HEAD Adaptable to any Milling Machine RIGID FIVE Speeds—

450, 800, 1400, 2400, 5000 r.p.m. Motor Reversible

Write for Circular
UNIVERSAL HIGH SPEED TOOL CO.
548 W. Washinton Blvd., Chicago. Ill.



Using Hamilton Elevating Tables

in your tool room or stamping shop, one man will handle dies that formerly required two to three men to lift. Send for our illustrated circular and see for yourself the many jobe to which this handy tool adapts itself.

The Hamilton Tool Co. Hamilton, Ohio, U. S. A.



Mark it-QUICKLY

with a Numberall Machine

Stamp in perfect alignment. Made with I to 8 wheels. Shank for Hand or Press Stamping. Latest Hardening and Engraving Methods insure sharp figures and long service. We also make Steel Stamps, Trade Mark Stamps, etc. of superior quality.

Write for Circulars and Prices.

Numberall Stamp & Tool Co. Huguenot Park, Staten Island, N. Y.

Nicholson Expanding Mandrels



THEY are usually known among mechanics as lathe mandrels, but they work equally as well on millers or grinders. They also will take a job with a square hole as well as a round one. Write Us for Further Information.

W. H. Nicholson & Co., 117 Oregon Street, Pa.

SHORT RUN STAMPINGS

A process eliminating necessity of making expensive dies.

ALSO PRODUCTION STAMPINGS

We specialize in building mechanical devices. Write for estimates,

Established 1905

GERDING BROS., 5 E. THIRD ST. CINCINNATI. O.

EISLER SPOT WELDERS

½ TO 100 K. V. A.

ELECTRIC SAW BRAZING MACHINES, BUTT, WIRE, PORTABLE AND SPECIAL WELDERS

Welders as low as \$35.00
Submit Samples for Test. No Obligation

EISLER ENGINEERING CO., Inc.

746 So. 13th St. NEWARK, N. J. DEALERS WANTED. Write Chas. Eisler. Pres.





Pulls all Gears, Wheels, Pulleys, Pinions, Bushings regardless of distance from end of shaft. Double-end chains have standard hooks and special hooks for motor pulleys etc. Two sizes: 3-ton and 12-ton with proof-tested chains.

Armstrong. Bray & Co.

Write for Circular

Circular

Chicago, U. S. A.

Chicago, U. S. A.

Chicago, U. S. A.

48

CARROLL

Universal Dividing Heads
"Quality at a reasonable price"

6-inch, 10½-inch and 12-inch swing. Furnished either Right or Left hand type, for all makes of plain or universal milling machines.

See your Dealer or write for bulletin showing complete line

Wm. Carroll & Son

1776 Lexington Ave.

(Norwood)

Cincinnati, Ohio



KEYWAYS CUT COMPLETE

with your ARBOR PRESS

And Our Cutters in time required for "SET UP" of larger Machines, Bulletin on Request.

THREADWELL

Arch St., GREENFIELD, MASS.

VICTORY CHAIN HOISTS



QUALITY

is built into each and every part. VICTORY HOISTS will stand, more strain and wear than required under the roughest conditions.

Descriptive Booklet Sent on Request.

Sampson Tool Co.,

Inc.

101 Walker St., New York, N.Y.

National TOOL SALVAGE Company SERVICE

Milling Cutters, Drills and Reamers reworked. Tools exchanged on salvage basis.

SAVE 25% to 60%.

Write for information to:

3816 Beaubien St.,

Detroit, Mich.





TANNEWITZ 24" Hi-Speed Band Saw

SAWS NEARLY EVERYTHING

Including Wood, Sheet Steel, Brass and Aluminum Casting Gates, etc. 11/2 H. P. Direct Motor Drive.

Also 30'-36'-42' Sizes. THE TANNEWITZ WORKS

Cincinnati has the GIBSON Hotel



famous for its hospitality

More than a hotel... a place to live. All that the most modern touch can add to age-old hospitality. Here the guest is king-The Gibson is his kingdom.

Rates-from \$2.50 single; \$4 double

F. W. Pallant. General Manager

Send Us Your Inquiries

We are always glad to forward a memo of any machinery or equipment for which you are in the market to all of our advertisers without charge.

The Blank Form

printed on the other side of this page is for this purpose, and you are free to make use of it without obligation.

It has been the means of bringing many buyers and sellers together, to their mutual profit and satisfaction.

Mail your needs to

HITCHCOCK PUBLISHING CO.

508 S. Dearborn St., Chicago

FREE BUYERS' SERVICE

To All of Our Readers

If you will list below the new or used metal-working machines or machine shop equipment for which you are in the market, and mail it to us, we shall be glad to broadcast it to all of our advertisers. Replies will come from them, not from us.

But if you prefer that we put you in direct touch with the manufacturers of any particular machine tool or other metal-working equipment, let us know and we will endeavor to locate them for you.

| Name |
|--------------------------|
| Address |
| We are in the market for |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Abrasive Cut-off Machines

Tannewitz Works, Grand Rapids, Mich.

Arbor Presses

Atlas Press Co., Kalamagoe, Mich. Shelden Machine Co., 2225 Cottage Grove Ave., Chicago, Ill. Wilson K. S., Buffalo, N. Y.

Arbors and Collets

Standard Engineering Works, Pawtucket, R. I.

Balancing Ways

Anderson Bros. Mfg. Co., Rockford, III. Sundstrand Machine Tool Co., Rockford, III.

Band Saw Blades for Metal

Saw and Knife Specialty Co., Cleveland, O.

Band Saw Machines, for Metal Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chicago

Av. Chi Tannewitz Works, Grand Rapido, Mich.

Bar Cutters

Buffalo Forge Company, Buffalo, N. Y.

Beading Machines

W. Robertson Mch. & Fdry. Co., Buffalo, N. Y.

Belt Lacing

Armstrong-Bray & Co., 315 N. Sheldon St., Chicago, 111.

Belt Sanders, Portable Electric Skilnaw Inc., 3317 Elston Ave., Chicago

Benches

Angle Steel Steel Co., Plainwell, Mich.

Beach Lather

Sheldon Machine Co., 3255 Cottage Grove Ave., Chicago, Ili. Beach Legs and Drawers

Angle Steel Stool Co., Plainwell, Mich.

Bending Machines, Hand and Power Armstrong-Blum Mfg. Co., 341 N. Francisco Ave., Chicago Ave., Chicago Buffale Forge Company, Buffale, N. Y. Lewthwaite Mche. Co., T. H.311E, 47th., N. Y.

Angie Steel Steel Co., Plainwell, Mich. Stackbin Corp., Providence, R. 1.

Blowers

Clements Mfg. Co., 6050 Naragansett, Chinaga Meyer Blower Co , Wm. W., 1845 West Washington Blvd., Chicago, Ill.

Blowers, Pertable Electric

Clements Mfg. Co., 6650 Naraganaett, Chicago Skilnaw, Inc., 3317 Elston Ave., Chicago

Bolt and Nut Machinery

Foots-Burt Co., Cleveland, O.

Boring Bars

The Rigid Toolholder Co., Detroit, Mich.

Boring Heads

Flynn Manufacturing Co., Detroit Mich.

Brakes, Hand and Power Dreis & Krump Mfg. Co., 7440 So. Loomis Blvd., Chicago, Ili.

Buffers, Bench Valley Electric Corp., St. Louis, Mo.

Buffers, Pedestal

Valley Electric Corp., St. Louis, Mo.

Burs, Steel

White Dental Mfg. Co., 152 W. 42nd St . New York, N. Y.

Bushings, Steel

Acme Industrial Co., 419 N. Carpenter St., Chicago, Ill. Baumbach Mfg. Co., E. A., 1812 So. Kil-bourne Ave., Chicago

Bushings, Jig

Acme Industrial Co., 419 N. Carpenter St., Chicago, III

Angle Steel Stool Co., Plainwell, Mich.

Carboloy Rockers

Mossberg Pressed Steel Corp., Attleboro.

Centering Machines

Sundstrand Machine Tool Co., Rockford, Ill Cullman Wheel Co., 1359 Aitgeld St., Chgo.

Chains, Silent and Roller Cullman Wheel Co., 1359 Altgeld St., Chgo.

Chamfering Machines, Automatic Grant Mfg. & Mche. Co., Bridgeport, Conn.

Chucks Heuser Mfg. Co., 1638 No. Paulina St., Chicago, III

Chucks, Automatic

Procunier Safety Chuck Co., 14 S. Clinton St., Chicago Chucks, Collet

Procunier Safety Chuck Co., 14 S. Clinton St., Chicago

Chucks, Drill and Tap Hartford Special Mchy.Co., Hartford, Conn. Freeunder Safety Churk Co., 14 S. Clinton fit. Chicago Sampson Tool Co., Inc., 101 Walker St., New York, N. Y.

Chucks, Lathe Sampson Tool Co., Inc., 101 Walker St., New York, N. Y.

Chucks, Quick Change

Procunier Safety Chuck Co., 14 So. Clinton St., Chicago Chucks, Ring Wheel Grinder

Graham Manufacturing Co., Providence, R I. Cold Saws

Burke Machine Tool Co., Conneaut, Ohio

Collets for all Lathes and Millers Hardinge Brothers, Inc., Elmira, N. Y.

Contract Work Wanted

Burke Machine Tool Co., Conneaut, O.

Couplings, Compression Shaft W. H. Nichelson & Co., Wilken Barre, Pa.

Couplings, Flexible

W. H. Nicholson & Co., Wilkes-Burre, Pa.

Couplings, Shaft

W. H. Nicholson & Co., Wilkes-Barre, Pa.

Cut-off Saws

Tannewitz Works, Grand Rapids, Mich. Cutters

Progressive Tool & Cutter Co., Ferndale,

Demagnetizers

Luma Electric Equipment Co., Teledo, Oble

Angle Steel Steel Co., Plainwell, With.

Diamonds, Industrial & Rough

Mendes Cutting Factories, Inc., 505 Fifth Ave., New York City Diamond Pointed Tools

Mendes Cutting Factories, Inc. 505 Fifth Ave., New York City Dies, Blank and Forming American Tool Works, Inc., Hartford, Conn. Hamilton Tool Company, Hamilton, Ohio

Die Sets

Saumbach Mig. Co., E. A., 1812 Sc. Kil-beurne Ave., Chicago Dividing Heads

Wm. Carroll & Son, Norwood, Cincinati, O.

Dowel Pins, Steel

Acme Industrial Co., 419 N. Carpenter St., Chicago, Hi. Baumbach Mfg. Co., E. A., 1812 So. El-bourne Ava., Chicago Drills, Electric

Skilosw, Inc., 3304 Slaton Ave., Chicago NpsedWay Mfg. Co., 1822 So. 52nd Ave., Cioro, Ill.

Drill Jigs, Special

Hamer Mfg., Co., 1628 No. Paulina St., Chicago, Ili.

Drill Jigs, Universal Heuser Mfg. Co., 1638 No. Paulina St., Chicago, IR.

Drilling Attachments, High Speed Graham Manufacturing Co., Providence, R.1

Drilling Machines, Beach Atlas Frees Co., Kalamasoo, Mich. Buffalo Forge Company, Buffalo, N. Y.

Drilling Machines, Multiple Spindle Foots-Burt Co., Claveland, O.

Drilling Machines, Portable Electric fikilonw, Inc., 2317 Elston Ave., Chicago SpeedWay Mig. Co., 1822 So, 52nd Ave Strand Co., N.A., 5001 N. Lincoln St., Ch White Dental Mfg. Co., 152 W, 42nd I New York, N.

Drilling Machines, Sensitive

Atlas Press Co., Kalamasco, Mich. Buffalo Ferge Company, Buffalo, N. Y. Burke Hachine Tool Co., Connesut, Oh Poots-Burt Co., Cleveland, O.

Drilling Machines, Vertical

Atlas Press Co., Kalamazoo, Mich. Huffalo Forge Company, Buffalo, N. Y. Foote-Burt Co., Cleveland, O.

Drives, Lathe

Cullman Wheel Co., 1359 Altgeld St., Chgo. H.rdinge Brothers, Inc., Elmirs, N. Y.

Electric Blawers

Clements Mfg. Co., 8850 Naraganustt, Chicago

Electrical Instruments

Ellinois Testing Laboratories, inc., 150 W. Austin Ave., Chicago

Elevating Tables

Hamilton Tool Company, Hamilton, Ohio Emery Wheel Dressers and Cutters

Western Tool & Mfg. Co., Springfield, O. Emery Wheel Dressers, Diamond

Mendes Cutting Factories, Inc., 505 Fifth Ave., New York City End Mills

Progressive Toel & Cutter Co., Ferndale, Etching Machines, Electric

Luma Electric Equipment Co., Toledo, Obio

Enhausters Mayer Blower Co., Wm. W., 1045 W., Washington Blvd., Chicago, Ill.

Esperimental Work American Tool Works, Inc., Hartford, Conu. Fans

Mapar Blowar Co., Wm. W., 1045 W. Washington Blvd., Chicago, Ill. Files Saw & Knife Specialty Co., Cleveland, Ohio

Files, Rotary White Dontal Mfg. Co., 152 W 42nd St., New York, N. Y.

Filing Room Equipment Wardwell Manufacturing Co., Cleveland, O.

Furniture, Machine Shep Western Tool & Mfg. Co., Springfield, O.

Gages, Pin, Plug, Ring and Snap American Tool Works, Inc., Hartford, Conp.

Gages, Taper Hartford Special Mohy, Co., Hartford, Coon.

Abart Gear & Machine Co., Clears, III. Obio Gear Co., Cleveland, Obio

Glue Pots, Electric

Bussell Electric Co., SBS W. Huron St., Chgo. Grinder, Electric

Chicago Wheel & Mfg. Co., M. C. Tool Div., 116 So., Aberdeen St., Chicago, Di. Grinder, Flexible Shaft

Mall Tool Co., 7742 S. Chicago Ave., Chicago

Grinder, Hand Chicago Wheel & Mfg. Co., M.C. Tool Div., 116 S. Abardson St., Chicago, Ill.

Grinder, High Speed

Chicago Wheel & Mfg. Co., M.C. Teel Div., 116 S. Aberdeen St., Chicago, Ill. Mail Tool Co., 7742 S. Chicago Ave., Chicago

Grinders, Electric Beach

Valley Electric Corp., St Lenis, Mo.

Grinders, Pedestal Electric Valley Electric Corp., St. Louis, Mo.

Grinder, Tool Post

De Witt Tool Co., 282 Lafayette St., New York, N. Y.

W. Robertson Mch. & Fdry.Co., Buffalo, N. Y. Grinding Machines, Belt

Production Machine Co., Greenfield, Mass. Standard Electrical Tool Co., Cincinnati, O. Walls Sales Corp., 96 Warren St., New York

Grinding Machines, Cutter, Reamer and Tool National Machine Tool Co., Racine, Wis.

Grinding Machines, Internal

National Machine Tool Co., Sacine, Wis. Standard Electrical Tool Co., Chelmati, O.

Grinding Machines, Portable Electric Chicago Wheel & Mfg Co., M.C. Tool Div., Mail Tool 116 S. Aberdeen St., Chicaso. III. Mail Tool Machine Tool Co. Rachne, Win. Strand Co., N. A., 5691 N. Lincoln St., Chige White Dental Mfg. Co., 152 W. 42nd St., New York, N. Y.

Grinding Machines. Pulley Finishing Graham Manufacturing Co., Providence, R. I.

Grinding Machines, Ring Wheel Graham Manufacturing Co., Providence, R I.

Grinding Wheels

Chicago Wheel & Mfg. Co., M.C. Tool Div., 116 S. Aberdeen St., Chicago, Ill. Grinding Wheel Dressers, Diamond Mendes Cutting Factories, Inc., 505 Fifth Ave., New York City.

Grinding Wheels, Mounted
Chicago Wheel & Mfg. Co., M.C. Tool Div.,
116 S. Aberdeen St., Chicago, IS.

Grinding Wheels On Shanks Chicago Wheel & Mfg. Co., M.C. Tool Div., 116 S. Aberdson St., Chicago, Ill.

Hack Saw Blades Armstrong-Blum Mfg. Co., 341 N. Francisca W. Sobertson Mob. & Fdry. Co., Buffalo, N. Y.

Hack Saw Machines

Armstrong-Blum Mfg. Co., 841 N. Francisco Av., Chicago W. Bebertson Mch. & Fdry. Co., Buffelo, N. Y.

Hand Saws, Portable Electric Skilnew, Inc., 3817 Electro Ave., Chicago Hand Screw Machines, Precision

Beach Type Hardings Brothers, Inc., Elmirs, N. Y. Heads, Boring

Flynn Manufacturing Co., Detroit, Mich. Hoists, Portable

Sampson Tool Co., Inc., 101 Walker St., New York, N. Y.

Hollow Adjustable Mills Genesee Mfg. Co., Rochester, N. Y.

Index Centers Wm, Carroll & Son, Norwood, Cineinnati, O.

Jigs and Fixtures

American Tool Works, Inc., Hartford, Cess. Hamilton Tool Company, Hamilton, Ohio Hartford Special Michy Co., Hartford, Cenn.

Keyway Cutters
Threadwell Tap & Die Co., Greenfield, Mass.

Knuris and Holders, for Turrets Graham Manufacturing Co., Providence, B.J.

Lathe Chip Pans

Angle Steel Steel Co., Plainwell, Mich.

Lathe Drives Cullman Wheel Co., 1959 Altgeld St., Chgo. Hardinge Brothers, Inc., Elmira, N. Y.

Lathes, Beach
Atlas Prass Co., Kalamasoe, Mich.
Sheldon Machine Co., 3255 Cottage Grove
Ave., Chicago, Ill.

Lathes, Manufacturing
Sundstrand Machine Tool Co., Rockford, Ill.

Lathes, Precision Beach Hardings Brothers, Inc., Elmira, N. Y.

Lathes, Precision Beach Screw Cutting

Hardings Brothers, Inc., Elmira, N. Y.

Leader Pins, Steel
Aeme Industrial Co., 418 N. Carpenter St.,
Chicago, Ill.

Machine Knives Saw & Knife Specialty Co., Cleveland, Ohio

Machine Shop Lights
Chicago Die Carting Mg. Co., 2502 West
Monroe, Chicago, Ili.
Machine Tender Stands

Angle Steel Stool Co., Platowell, Mich.

Mandrels, Expanding
W. H. Nicholson & Co., Wilkss-Barrs, Ps.
Western Tool & Mfg. Co., Springhels, O.

Magnets, Hand Motors Goeting Co. of America, Philadelphia.

Micrometers

Bradley Machinery Co., Dutreit, Mich. Milling Attachments

Burks Machine Tool Co., Conneaut, Ohio Wm., Carroll & Son, Norwood, Cincinnati, O. Shandard Engineering Works, Pawtucket, R. Universal High Speed Tool Co., 548 W.

Milling Machines, Bench Burke Machine Teel Co., Contount, Ohio Sundstrand Machine Too Co., Beckford, Ill.

Milling Machines, Precision Beach Hardinge Brothers, Inc., Eimira, N. Y.

Milling Machines, Hand Surke Machine Tool Co., Conneaut, Oble Standard Engineering Works, Pawtucket

Sundstrand Machine Tool Co., Rockford, 111.

Milling Machines, Plain Burke Machine Tool Co., Conneaut, Oblo Standard Engineering Works, Pawtucket. Sundstrand Machine Tool Co., Bockford, Ill.

Mills, Adjustable Hollow Geneses Mfg. Co., Rochester, N. Y.

Motors, Electric Ball Bearing Valley Electric Corp., St. Louis, Mo.

Nibbling Machines Libert Machine Co., Green Bay, Wis. National Machine Tool Co., Racine, Wis.

Numbering Machines Numberall Stamp & Tool Co., Staten Island, N. Y.

Pigeon Hole Sections Angle Steel Stool Co., Plainwell, Mich.

Pins, Leader And Dowel Acme Industrial Co., 419 N. Carpenter St., Chicago, Ili. Baumbach Mfg. Co., E. A., 1812 So. Kil-bourne Avo., Chicago

Pipe Cutters . Ridge Tool Co., Elyria, Ohio

Pipe Vises Ridge Tool Co., Elpria, Ohio

Pipe Wrenches Ridge Tool Co., Elyria, Ohio

Press Brakes Dreis & Krump Mfg. Co., 7440 Loomin Bivd., Chicago, Ilv.

Presses, Arbor Atino Preso Co., Kalamasoo, Mich. W. H. Nicholson & Co., Wilkes-Barre, Pa. Sheldon Machine Co., 2355 Celtage Grove Ave., Chicago, III, Wilson, B. K., Buffalo, N. Y.

Presses, Extrusion Norin Engineering Co., 356 N. Union Park Court, Chicago, iii.

Presses, Hydro-Mechanical Norin Engineering Co., 356 N. Union Park Court, Chicago, Id.

Presses, Power Dreis & Krump Mfg. Co., 7440 Louds Hird., Chicago, Ill. Norin Engineering Co., 555 H. Union Park Court, Chicago, Ill.

Presses, Punch Dreis & Krump Mfg. Co., 7440 Leomis Bird., Chicago, III. Lewthwalts Mebs. Co., T. H., 811E, 47th., N. Norin Kngiseering Co., 356 N. Unton Park Court, Chicago, III.

Preduction Tools

Genesce Mfg, Co., Rochester, N. Y.

Pullers, Gear and Wheel Armstrong-Bray & Co., \$15 N. Sheldon St., Chicago, Ill.

Punch Press Feeds Wittek Mfg. Co., 4309 W. 24th Place, Chgo.

Punch Press Guarda David J. Ross Co., Benton Harbor, Mich.

Punch, Shear and Bender, Hand Armstrong-Hum Mfg. Co., 841 N. Francisco Ave., Chicago

Punches, Hand Armstrong-Blum Mfg. Ce., 341 N. Francisco Av., Chlorage Buffalo Forga Company, Buffalo, N. Y. Lewthwalte Mche. Co., T. H., 311 E. 47th., Whitney Metal Tool Co., Bockford, Ill.

Punches and Diss Lewthwaite Mche.Co., T.H., SHE.47th., N. T.

Punches and Shears Sampson Tool Co., Inc., 101 Walker St., New York, N. Y.

Pyrometers Illinois Testing Laboratories, Inc., 160 W.
Auetin Ave., Chicago
Russell Electric Co., 338 W. Huron St., Chgo.

Pyrometers, Portable & Stationary Illinois Testing Laboratories, Inc., 180 W.
Amatin Ave., Chicago, Ill.
Russell Electric Co., 238 W. Huron St., Chgo.

Reamer Holders W. H. Nicholson & Co., Wilkes-Barre, Pa.

Riveters, Multiple Spindle Grant Mfg. & Mche. Co., Bridgeport, Conn.

Riveters, Pneumatic Grant Mfg. & Mche, Co., Bridgeport, Conn.

Riveting Machines Grant Mfg. & Mohe. Co., Bridgeport, Cono.

Red Cutters Armstrong-Blum Mfg. Co., 841 N. Francisco Av., Chicago Lawthwalte Mche. Co., T. H., 311 E. 47th, N. V.

Safety Devices Devid J. Rose Co., Benton Harbor, Mich.

Saws, Band and Circular for Metal

Saw & Knife Specialty Co., Cleveland, Ohio Angle Steel Stool Co., Plainwell, Mich.

Saw Sharpening Machines

Scraping Machines Anderson Bros. Mfg. Co., Rockford, Ill.

Shafts, Flexible

Strand Co., N. A., 5601 N. Lincoin St., Chgo. White Dental Mfg. Co., 152 W, 42nd St., New York, N. Y.

Shaping Machines

Osborne & Sexton Machy. Co., Columbus, O. Shear Blades

Saw & Knife Specialty Co., Cleveland, Ohio

Libert Machine Co., Green Bay, Wis. Shears, Hand

Armstrong-Blum Mfg. Co. 341 N. Francisco Av., Chicago Lewthwaite Machine Co., T.H., 811 E. 47th Whitney Metal Tool Co., Bockford, Ill.

Shear, Power

Dreis & Krump Mfg, Co., 7440 Losmia Blvd., Chicage, III. Shears, Slitting

National Machine Tool Co., Racine, Win. Drein & Krump Mfg. Go., 7440 Learnin Bivd., Chicago, Ili.

Sheet Metal Machinery Libert Mechine Co., Green Bay, Wis.

Shop Spotlights

Chicago Die Centing Mfg. Co., 2502 Went Monroe, Chicago, Ill.

Special Tools and Machinery

American Tool Works, Inc., Hartford, Conn. Standard Engineering Works, Pawtucket,

Speed Reducers

Abart Gear & Machine Co., Cicero, III. Culiman Wheel Co., 1359 Altareld St., Chgo. Uhio Gear Co., Cleveland, Ohio

Spot Welding Machines, Speed. Eisler Engineering Co., Inc., Newark, N. J. Taylor-Winfield Corp., Warren, Ohio

Sprockets

Cullman Wheel Co., 1869 Altgeld St., Chgo. Ohlo Gear Co., Cleveland, Ohlo

Gerding Brothers, Cincinnati, Ohio

Stools and Chairs

Angle Steel Stool Co., Plainwell, Mich.

Straightening Machines Whitney Metal Tool Co., Rockford, Ill.

Stud Setters

Procunier Safety Chuck Co., 14 S. Clinton St., Chicago

Tables

Tap Extractors Wardwell Manufacturing Co., Cleveland, O. Walton Co., Hartford, Cons.

Tan Helders

Procunier Safety Chuck Co., 14 E. Clinton St., Chicago

Tapping Attachments

Procunier Safety Chuck Co., 14 S. Clinton St., Chicago, Ill.

Tapping Jigs, Universal Heuser Mfg. Co., 1638 No. Paulina St., Chicago, Ili.

Tapping Machines and Attachments

Burke Machine Tool Co., Conneaut, Ohio Procunier Safety Chuck Co., 14 So. Clinton St., Chicago, III. Whitney Metal Tool Co., Rockford, Ill

Thermometers, Resistance Type

litinels Testing Laboratories, Inc., 150 West Austin Ave., Chicago, Iti.

Threading Machines, Automatic, Stud Grant Mfg. & Mche. Co Bridgeport, Conn.

Threading Tools

Armstrong Bros. Tool Co., 208 N. Francisco Av., Chicago Ridge Tool Co., Elyria, Ohio.

Tool Holders

Armstrong Bros. Toel Co., 208 N. Francisco Av., Chicage Rigid Toolholder Co., Datroit. Mich. Western Toel & Mfg. Co., Springfield, O.

Tool Post Grinders

De Witt Tool Co., 252 La Fayette St., New York, N. Y.

Tools, Abrasive

White Dental Mfg. Co., 155 W. 42nd St., New York, N. Y. Tools, Boring

Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago

Tools, Lathe and Planer

Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago Tools, Machinists'

Armstrong Bres. Tool Co., 308 N. Francisco Av., Chicago

Tube Flanging Machines

Grant Mfg. & Mcha. Co., Bridgeport, Conn.

Trucks

Angie Steel Steel Co., Pialowell, Mich.

Universal Drill Jigs

Heuser Mfg. Co., 1628 No. Paulina St., Chicago, Ili.

Universal Jointa

American Tool Works, Inc., Hartford, Coan.

Used and Robuilt Machinery Alamo Engine Co., Hilladale, Mich. American Machinery Co., Cleveland, Oblo Helyea Co., Inc., 150 W., 18th St., New York, American Machinery Co., Userwallo, Conjetiere Co., Inc., 150 N., 18th St., New North Britzer Co., Inc., 150 N., 18th St., New North Britzer Co., 18th St., 18th St., 18th St., New North St., 18th S Easiny Machinery Co., E. I., 250 Second Coldman, Harvey H., Detreit, Mich. 19.
Goldman, Harvey H., Detreit, Mich. 20.
Goldman, Harvey H., Detreit, Mich. 20.
Hills, Clarke & Co., 245 W. Washinston Burd.
Indianapolis Machinery & Goldman, Chicace, III.
Indianapolis Machinery & Indianapolis Machinery & Indianapolis Machinery & Indianapolis Machinery & Co., 198 Clinton, Chicace, III.
Indianapolis Machinery & Goldman, III.
Indianapolis Machinery & Goldman, III.
Indianapolis Machinery & Gorp., 196 Libert, Mo.
Indianapolis Machinery Co., 25. Wes. C., 196 Libert, Mo.
Indianapolis Machinery Corp., 196 Libert, Mo.
Laite Moly, Co., 25 W., Now York, N. Y.
Laite Moly, Co., 25 W., 18. Louis, Mo.
Indianapolis Machinery Co., 38. Louis, Mo.
Macro-Galvent Mohy, Co., 1914, David, Mo.
Midrous Regionand Co., 1914, David, Mo.
Midrous Regionand Co., 26 W. Laite St., Midrous Regionand Co., 38 Janes, 1918, Midrous Regionand Co., 46 Mill St., Maland, N. Y. Miles Machinery Co., Saginaw, W. S., M. Morey & Co., 45 Mill St., Astoria, I Inland, N N. Y. Noble Machinery Co., 217 Centre St., 1 York, N Norton-Broadway Machinery Co., Cincinneti Norton Grounts Co., Philadelphia Ohio Obio Mehr. As Supply Co., Chechmatl, Ohio Ohio Mehr. A. Supply Co., Chechmatl, Ohio Ott Machiner Salas Co., Detroit, Mic. Obiorna & Sexton Machy. Co., Columbus, O., Pattiese Supply Co., W. M., Clevaland, O. Reilance Machinery Salas Co., Pittsburgh, Pa., Pa. Raynolda & Son. Geo. T., Providence, R. I. Riverside Machinery Depot, Detroit, Mich Roll Supply Co., W. C., Cincinnati, Ohio Russell Machine Co., Pittsburzh, Ps. Scott-Bansbach Mehy. Co., 4607 W. 20th St. Chican Reseats Manbach Michy, Ub., W. Lake St., Gott Banchach Michy, Co., 809 W. Lake St., Chicago, Link Strong, Carlisla Hammond Co., Glaveland, Bon Machinery Co., B. Van Buron Birsh Bon Machinery Co., B. Van Buron Birsh Strong, Carlisla Michy, Co., Link M., Lake Michy, Co., Datroit, Mich. Surplus Stock & Mony, von. St., Chicago Sorpius Material & Mehy. Co., Datroit, Meh. Victor Machinery. Co., 28 S. Chiton Str., Victor Machinery Co., 28 S. Chiton Str., Victor Machinery Exchange, 25 I Cater. III. Victor Machinery Exchange, 25 I Cater. III. Wain Mehy Sales, Chas. E., Iberroit, Mich. Wain Machinery Co., Pittoburgh, Adversary, Wain Machinery Co., 1988, Adversary, Wain Machinery Co., Combridge, Mach. St., Chicago Wigglosworth Meby, Co., Cambridge, Mass Wolnick Machinery Sales, 21st & Marshe Bivd., Chicago, Hi

Valves, Foot, Lever & Solenoid

Vises, Drilling Machine

vases, briting macune
Armstress [lies Mig. Co., Sti N. Francisco
Ar, Chicage
Armstress [lies Mig. Co., Sti N. Francisco
Armstress [lies Mig. Co., Sti N. Francisco
Armstress [lies Mig. Co., 1888 No. Chicage
Av., Chicage
Av., Chicage
Mactin Tool & Die Works, J. E., Springfield, O.
Bempson Tool Co., Int., 101 Walker St.,
Sheldon Machine Co., Stick, Co., Sticker, III.
Avs., Chicago, III.

Vises, Machinists'

Vises, MacCanness L.-W Chuck Co., Tolodo, Ohio Sheldon Machine Co., 8255 Cottage Grove Ave., Chicago, Ill. Western Tool & Mfg. Co., Springfield, O.

Vises, Milling Machine

Graham Manufacturing Co., Providence, R. I. Hartford Special Michy, Co. Hartford, Ceso. L. W. Chuck Co., Toledo, Ohio. Sheidon Machine Co., 2555 Cottage Grove Ave., Chicago, III. Standard Engineering Works, Pawtucket, R. I.

Vises, Shaper

Graham Manufacturing Co., Providence, E.1. L.-W Chuck Co., Toledo, Obio

Waste Cans

Augie Steel Stool Co., Plainwell, Mich.

Welding Machines, Electric Spot Bister Engineering Co., Inc., Newark, N. J.

Welding Machines, Resistance

Risier Engineering Co., Inc., Newark, N. J.

Wheel Drossing Diamonds

Mondas Cutting Factories, Inc., 505 Fifth Ave., New York City

Wheel Pullers

Armstrong-Bray & Co., 315 N. Sheldon St., Chicago, 111,

Wheels, Grinding

Ch.cago Wheel & Mfg. Co. M.C. Tool Div., 116 S. Aberdson St., Chicago, Ili.

Woodworking Machinery

Nichelson & Co., W. H., Wilker-Barre, Pa. Tunnewitz Works, Grand Rapids, Mich.

Used and Rebuilt Machinery Section

Lists of Used and Rebuilt Machinery, either For Sale, Wanted, or For Exchange, set in uniform style, will be published in the Classified Section at the rate of 60 cents a line across the page, each issue, plus \$3.00 for name and address. Minimum charge, \$6.00. No display permitted.

Write directly to those offering the machines for sale, for prices and full descriptions. If what you seek is not advertised, use the blank enclosed to make known your wants in either new or used machinery and the publisher will pass them along to the advertisers.

FOR SALE BY

Ohio Machinery & Supply Co., - 252 Butler St., Cincinnati, Ohio Lathe, 18"x8' You Wyck cone drive. Lathes, 14"x5' Sebastian grd, hd. (2). Lathe, 18"x8' American grd, hd. We Buy, Sell or Exchange.

FOR SALE BY

The E. T. Fraim Lock Co., . . . 237 Park Ave., Lancaster, Pa. DEGREASING MACHINE.

Meaker Degreasing Machine. Enclosed metal covering, tank and metal covering is 48" wide x 72" long and 72" high. Machine is belt driven with blower attached.

FOR SALE BY

433-35 E. Pearl St., Cincinnati, Ohio W. C. Roll Supply Co., Brakes, Robinson 30" \$40, 72" Robinson_____ __ 100.00 Press, Standard No. 3, inclinable Drill press, Superior 20" \$40, Badger 20". Sheet metal equipment—Motors all sizes.

Many others. We solicit your inquiries.

FOR SALE BY

E. L. Klauber Machinery Co.,

Disc grinder, 20" Ransom.
Drill, Hi-Speed, b. b., 8" overhang.
Furnace, melting U. S. 500 lbs.
Grinder, cutter & tool, No. 1. Grinder, vertical surface.

320-22 S. Third St., St. Louis, Mo.

Lathe, 14"x8' Monarch q. c. g. Lathe, 18"x10' Champion s. q. c. g. Lathe, 22"x12' Lodge & S. q. c. g. Planers, 20"x20"x4' & 30"x30"x8'. Welder, spot, 25 k. w. National.

FOR SALE BY

Reliance Machinery Sales Company Pittsburgh, Pa.

1405 Brighton Place, N. S. Brake, No. 205 Chicago, 10'x3/16",

Brake, No. 205 Chicago, 10 x2/16", motor 3-60-220. Bulldoser, No. 9 Williams-White, Drill, 6 spdl, Barnes, No. 2 m, t. Drill, 4 spdl. Colburn No. 4. Drill, 4 spdl. Colburn No. 4. Drill, radial, 2½ Mueller, s. p. d. Hoist, elec. 3 ton Shepard, a. c. Lathe, 18"x8" L. & S. pat. hd. 220 v. Lathe, 18"x8" Lett. B., a. c., m. d. Miller, No. 2AS Milwaukee, double over arm, single pulley.

Miller, No. 1 U. S. hand,
Miller, No. 21 Rockford, cone,
Miller, vert., No. 5-C Becker.
Press, No. 24 Adriance horning. Press, No. 24 Adviance horning, swinging table, 2750 lbs.
Press, s. s., No.68 Cons. grd., 6" str. Presses, Nos. 24 & Toledo, o. b. i. Press, Perkins able cr., 24" bet. hsg. Punch, L&A 1" thru 1", 24" tht. Shears, alligator, 1t to 4" sq. cap. Shear, 11'x18 ga. Canton.

FOR SALE BY

The Jones Machine Tool Co., Front & Pike Sts., Cincinnati, Ohio

LATHES 12"x8' Sebastian, geared head. 12" Rg 'Sebastian, geared nead.
18" x8' L. & S. sel, grd, hd., (2).
18" x6" L. & S. sel, grd, hd., (8).
18" x6" L. & S. sel, grd, hd., (8).
18" x10" L. & S. sel, grade head.
20" x10" American cone head q. c.
24" x12" Lodge & Shipley q. c.
23" x12" Boye & E., cone head q. c.
23" x12" Boyfedford, q. c., geared hd.
38" x16" Lodge & S. q. c., m. d.
DEFECK & DEFECK

PRESSES 50 O. B. I. presses—all sizes. No. 4 & 5 Cons. & R. & K. (6). American Cau, plain & b. g. No. 5 L. & J., o. b. i., b. grd. No. 57 Toledo 18" bet. housing. No. 56C Toledo 20" bet. housing. No. 57 Toledo 25" bet. housing.

No. 58 Toledo, s. crank.

Square shears, 37" Toledo 16 ga 48" Cincinnati 16ga.; 54" Kutscheid

(foot power).
Gear cutters, Nos. 3, 4, 13 B. & S.
Bolt cutter, dbl. spindle 1½" Landis.
Radial drill, 5' American enclos. hd. 3' Bickford, s. p.; 3' Bullard, vert. Radial, drill, 3' American-Bickford, Keyseater, No. 2 Mitts & Merrill. Grinders, No. 60 & 70 Heald.

12x24 Diamond surface. Lathe, turret, No. 6 Foster pwr. fd. Milling mchs., Nos. 2, 3 & 4 Cin'ti. No. 3 LeBloud. universal. Rolls, stght., 94" H. & J., m. d. Tappers, No. 1, E 2X Garvin. Welder, 20 k. w. National. 36" arms. 100 k. w. Gibb 24" arms.

100 k. w. Gibb, 24" arms.

IONES-BUYS-SELLS-TRADES-WRITE-US

FOR SALE BY

150 W. 18th St., New York, N. Y. Belyea Compa : y, Inc., D C MOTORS A. C. MOTORS

| I. | C. MOTO | RS |
|------------------|--------------|-----------|
| Adi | j. Speed-230 | Volt |
| H. P. | TYPE | SPEED |
| 1 - 1500 | West. | 470/ 600 |
| 1 - 300 | Cr. Wh. | 200/400 |
| 1- 250 | El. Dy. | 300/ 900 |
| 3- 120 | G. E. | 300 / 750 |
| 1- 100 | West. | 365 600 |
| 3- 80 | Diehl | 500/1100 |
| 1- 60 | G. E. | 400/1050 |
| 2- 50 | West. | 225/600 |
| 1- 40 | West. | 300/ 900 |
| 1- 35 | West. | 500/1500 |
| 1- 35 | Cr. Wh. | 800/1600 |
| 1- 25 | West. | 400/1210 |
| 3- 25 | West. | 650/2200 |
| 1- 20 | West. | 650/1300 |
| 2- 20 | West. | 375/1500 |
| 20- 20 | G. E. | 650/1950 |
| 1- 20 | West. | 500/1500 |
| 1- 20 | G. E. | 500/1500 |
| 2- 15 | El. Dy. | 300/ 900 |
| 1- 15 | West. | 600/1200 |
| 6- 15 | West. | 400/1600 |
| 1-10/14 | El. Dy. | 300/1200 |
| | West. | 500/1500 |
| 30- 10 20- 10 | G E | 600/1800 |
| | | |

MOTOR GEN. SETS. 500 k. w. G. E., D.C. Gen. 250/275 v. comp'd. inter pole, 720 r. p. m., coupled to 700 h. p. G. E. Type ATI, Synch. Mator, 3 ph., 60 cy., 720 r. p. m., 2200/440 v. 175 k. w. G. E., D. C. Gen. 278 v.

comp'd interpole, dir. conn. to 290 h.p. G. E. Synch. Motor, 2300/440

v., 3 ph., 60 cy., 720 r. p. m. Above is Only Partial Listing. We Specialize in All Electrical Equipment, Motors, Pumps, Generators.

Synch. Type H. P. VOLTS TYPE SPEED G. E. Al. Ch. G. E. 1 - 28502300/4150 450 1 - 6752200/ 550 2200/ 550 900 1- 600 257 Al. Ch. West. 2200/ 440 1 - 260720 1- 125 2300 900 1-50 G. E. 440/220 1200 35 440/220 1200 SLIP RING West. 1 - 12002200 360 - 600 G. E. 2300/550 257 1- 600 - 600 G. E. -450/360 West. 2300/440 2200 875 700 West. 1 - 4002300 514 1-400 West. 550 505 1- 300 G. E. 550 575 1 - 250Morse 2200 1200 West. 1- 250 2399/449 700 2 - 200West 220/440 900 - 288 G. E. 220/440 900 1 - 1501750 440 SQUIRREL CAGE TYPE 1 - 300Cr. Wh. West. 2360/220 580 2300/440 1- 250 580 1- 150 G. E. West. 220/440 900 1 - 150220/440 720 1- 150 West. 220/440 580 ENGINE GEN. SETS.

1-400 k. v a. Cr. Wh., 240 v. 3 ph., 60 cy., 120 r. p. m. to Hamilton Corliss Engine

1-180 k. w. G. E. Type ATB, 2300 v. 3 ph. 600 r. p. m., 60 cy. Geared to Delaval Steam Turbine.

Boring mill, 22" bar Cleveland, s.p.d. Bor.mill Niles floor type, 4 &64" bar Brake, 7'x10 ga. Dreis & K. m. d. Brakes, 3' & 10'x3/16" D. & K.,m.d. Bulldozers, Nos. 2, 4, 6, 9, 28, & 39. Cranes, Electric Traveling. Draw bench, 150,000 lb. Stand, m. d. Drill, sens. 4-spdl. Avey, belt drive. Drill, 4-sp. Colburn, table 20x72. Drill, hvy. duty, D-6 36" Colburn. Drill, radial, 4" Prentice, t. a., b. d. Drill, rad., 5" Cin-Bick. vs. m. d. Drill, radial, 5' N. B. P., mtr. on arm Drill, radial, 6' Dreses, s. p. d. Drills, upright 10" to 36 Drill, Baker, table 23"x17", s. p. d. Engine, gas, horiz, 20h. p. Bessemer. Flunger, McCabe, 4"c apacity, dies. Forge, No. 449 Champion, 40x30. Forging meh. 14" Acmes, st. fr. b. d. Gear cutters, 11", 18" & 24" Gleason. Gear cutter, spur, 36"x16" Newark, Gear hobbers, 30" Newark, m. d. Grinder, cyl. 10"x52" Norton, m. d. Grinder, cyl. 10"x52" Norton, m. d. Grinder, die. No. 101 Bridg., m.d. Grinder, old. Bridg., m.d. Grinder, nail die, No. 101 Bridg., m.d. Grinder, sizematic, No. 72 Heald. Grinders, surf., rot. 8" & 16" Heald. Grinder, sur. 14" Pratt & W., m. d. Grinder, surf., No. 3 Abrasive, m.d. Grinder, surf. 42" Spring., tbl. 18x84". Grinder, surf-84" Diamond, m. d. Grinder, tool & cut., No. 2 Walker. Grinder, univ. No. 3 Landis, 12x40". Generators, eng.,oil, gas, belt & mtr. Hammer, Blacker, power, 50-lbs. Hammers, No. 3-B Nazel Hammers, steam, 600 lb. to 6000 lbs. Jig borers, Nos. MP4 & 5 Swiss, m.d. Lathe, 12"x6' Hendey, q. c. g., b. d. Lathes, 14"x5' 6" Mulliner, q. c. g., b. d. Lathe, 16"x6' Le Blond, q. c. g., d. b. g. Lathe.16"x8' Hendy, q.c.g., t a., b.d Lathe, 21"x10' LeBlond, q.c. g., b.d. Lathe, 24"x10' Reed, q.c. g., b.d. Lathe, 24"x12' American, q.c.g., b.d. Lathe, 24"x12' American, q.c.g., b.d. Lathe, 24"x14' LeBlond, g. h., q.c.g. Lathe, 24"x16' Bridgeford, g. hd.m.d. Lathe, 30"x18' LeBlond, g. h. q.c.g. Lathe, 36"x16' L.& S.grd.hd., s.p.d. Lathe,36"x18' Putnam. l.c.g.,t.a.b.d. Lathe, 54"x27' Pond, semi grd. hd. Lathe, 61"x29', H.-S. & G.grd. hd.m.d. Lathe, gun boring 49"x82' m. d.

Millers, vert. Nos. 4-B&5-C Becker. Millers, Ver. Nos. 4- B&S-C Becker. Nut tapper, Acme, [6-20] [‡", sauto. Nut mche., Wat-Far. ‡" cold. b. d. Pipe mches, 6" & 6" Oster. Pipe mchs, 6" & 12" Williams, m. d. Planer, 96" N2" Zbetick & H., m. d. Planer, 96" N2" X12" Detrick & H., m. d. Planer, 96" N5" X3" 4 hds. rev. m. d. Press, arbor, No. 17 Green, 18-ton. ress, cam. No.69N Bliss, dbl act.inc. Press, cam., No. 5. 8, 19, 20. Press, No. 5 Toledo 20"x19", 24"st. Press, No. 5 Toledo 20"x19", 24"st. Press, No. 57 Toledo, 32"x22", str. 6". Press, dbl. crk. Farrell, 16x44", 6 st. Press, screw, No. 87 Niagara. Press, hand screw, No. 192 Tol. dbl. Press, hyd., 200-ton Oilgear, 4 post. Press, pyd., 260-ton Oilgear, 4 post. Press, forging, United 1000 ton hyd. Press, wheel, 300-ton, motor drive. Punch & s., No. 5-H Bertsch hand, Punch & s., No. 5-H Bertsch hand, Punch & s., "C"Cleve.12" g 13/18", 4" Punch, mult, No. 5 H. & J. 10". Riveters, air, hammer, spinning. Roll, angle bending, 2"2" A" m. d. Saws, band, 33" Fay & Egan. Roll, angle bending, 2"x2"x4", m. d. Saws, band, 33" Fay & Egan. Saws, bright and 32" Fay & Egan. Saws, friction. Nos. 2, 3 & 4 Ryerson. Saw, cold, No. 6 Coch. Bly, a. p. d. Screw mchs. Nos. 52, 53, 55 Nat. A. Shaper, vert. Jones 16" stroke, m.d. Shaper, 16" G. & E. univ. tbl. a. p.d. Shaper, 16" G. & E. univ. tbl. a. p.d. Shaper, 16" G. & E. univ. tbl. a. p.d. Shaper, 16" G. & E. Shaper, 22" Cincinnati, m. d. Shear, angle, 6"x6"x1" H. & J. Shear, angle, 6"x6"x1" H. & J. Shear, alligator, 14" 2", 3" & 4". Shear, alligator, 14", 2", 3" & 4". Shear, cir. & flan, No. 208A Nia. Shear, foot, 36" Petel. Lennox 4", b. d. Shear, cir. & flan, No. 208A Nia. Shears, foot, 36" Petel. Shear, bevel. Lennox 4", b. d. Shear, cir. & flan, No. 208A Nia. Shears, foot, 36" Petel. Shear, 12" x ½" Wheeling, 31" gap. Shear, 16" x 12" x 15" wheeling, 31" gap. Shear, 16" x 12" x 15" wheeling, 31" gap. Shear, 16" x 12" x 15" wheeling, 31" gap. Shear, 16" x 15" L. & A., 20" gap m. d. Shear, sitt, O. E. cap. 4" 14" blade. d. Slotter, 15" B.-M. tbl. 30" dia, m. d. Slotter, 36" Bement, crank: 15" Dill. Straightner, 2-A Kane & R. 29-roll. straightner, 14", A bramson. Straightner, 2-A Kane & R. 29-roll.
Straightener, 19", 4" rd. Abramson,
Testing mch., Brinnell hardness. Thread rollers, 5/16", 1" & 14", b. d. Upsetters, 1" to 6". Welding gen., arc, 200 amp. West. 200.

FOR SALE BY

The Elyria Belting & Machinery Co.,

Corner Williams and Buckeye Streets, Elyria, Ohio Air compressors, 9x8 I-R, 6x6 I-R, 9x9x8 I-R, 12x6 I-R, 6x6x6 Clayton st.dr. Air compressors, ws 1-K, 528 1-K, 529x5 1-K, 12x6 1-K, 6xxx6 Clayton st.c Baler, 13P Logemann hydraulic, pump and accessories. Crane, 3-ton P. & H. electric d. c., floor-operated. Drills, No. 2 & No. 4 Colburn heavy duty manufacturing, s. p. d. Electric hoist, No. 6 Frame 1-ton American. Elevators, O'Usi freight, 6'77 2590 bb., 7\frac{1}{2} h. p. and 16' 12' 5000 bb., 10 h. p. Engine, steam, Toy vertical throttling 929 cylinder, 100 bb. pressure. Shear, alligator, No. 5 United Engineering & Foundry Co. Shear, alligator, No. 1 Canton low knife,

FOR SALE BY

Midwest Equipment Co., Air compressor, 9x8, I. R. compl. Grinder, No. 2 B. & S. surface. Grinder, No. 6 Gardner, b.b., 28" discs. Grinder, Cinc. No. 1 tool & cutter. Hack saw, Racine 6x6, high speed. Lathe, 1748 Sidney, l.c.g., complete, Lathes, 'Cataract', and a' cap. Lathes, 'Gainey, quick ch. gear. Lathe, 44x10 Wolcott, q.c. g., comp. Miller, No. 5 B. & S., plain. Planers, Lathes, Screw Machines, Air Compressors, Woodworking Machines. Complete stock of Punch Presses in all sizes. Send for list.

Grinder, Bath universal tool, 6x36 table.

Miller, No. 4 Becker, ver., back grd. Punch & shear, No. 52 Beloit comb. Screw machines No. 0 and No. 2 Brown & Sharpe, automatic, Screw machines, No. 4 Warner & S. Screw mchs., Nos. 4 & 3 Foster, w. f. Shapers, 14", 16", 20" and 24", Welder, arc. 300 amp. Wilson, m. d.

FOR SALE BY

McDonald Machinery Co., Bolt mchs., Landis & Acme 1\(\frac{t}{2}\)'.
Boring mill, Lucas No. 21 horizontal,
Boring mills, Barrett \(\frac{t}{2}\)' bar horiz. Drilla, Ciu-Bickford 3' & 3f' radials, Gear, cutter, G. & £, 6'' radials, Gear cutter, G. & £, 6'' radials, Gear hobber, G. & £, 24'', Grinders, B. & S. No. 2 surf, & unity Grinder, P. & W. 14'' vert, surf, Grinder, B. & S. No. 13mtr, dr. Ironworkers, Buffalo No. 0 unity, Keyaeaters, M. & M. No. 2.
Lathes, F. & M. & 9'''.28' bed; Hendey 14''K' 9, cg.; 30 others in stock, Milling machines, B. & S. No. 14'Cinc, No. 14, Hendey No. 1-B, Kemp. No. 3; Oho No. 23; vertical slott. Drills, Cin-Bickford 3' & 31' radials. No. 3; Ohio No. 29; vertical slott.

1535 N. Broadway, St. Louis, Mo. SSS N. Brosawsy, St. Louis, Me. attch., all universal; Kemp. No. 1, LeBlond No. 3-H.; Brown & S. No. 3-B, s. p. d., Brown & Sharpe No. 3, all plain, Cincinnai: 12" Mg; Milw. No. 3-B & No. 1-A s. p. d., plain; Cin. No. 3-S pl., s. p. d. Punch press, d. c. grd., 72" between uprights, 8" atr., wt. 38,690 lbs. Toledo No. 56 s. s. grd., 14" str. Shapers, G. & E. S. & M., Cin., Ohio, America, Stentee, Ousen City.

628-30 W. Lake St., Chicago, Ill.

Miller, No. 1 Kempsmith pl., comp. Miller, Kempsmith No. 3, vert, att.

Shapers, G.& K., S. &M., Cim., Ohio, American, Steptoe, Queen City, 12", 16", 18", 29", 24" and 28"; S. & M. 28", S. p. d. Square shears, Niag, 62" No. 18 ga. Turret lathes, W. & S. No. 2A univ. Turret lathes, Libby 18", geared head universal, Gisholt univ.

FOR SALE BY

Marr-Galbreath Machinery Co., 55 Water St., Pittsburgh, Pa.

Quality Not Reflected in These Low Prices. Air compressor, 5"x5" Ing.-R., m.d. Air compr., 14"x12" Sullivan, 100 lb. Air comp., 12"x10" Chgo., a. c. mtr. Air comp , tank and 2 h. p. motor. Air comp., tank, 3 or 5 h. p. motor. Air compressor, 6 x 6 Worth, vert. Bender & straightner, No. 4 H. &] Blowers, Buffalo Nos. 3E & 4E, 1/60/229.

Blower, No. 5 motor 3/60/220 5 North American, Bolt threader ¶ Geometric b.or m.d. Boring mill, No. 0 G. & L., 3 mar. Boring mill, 30" Colburn, tr. hd. Boring mill, 34" Bullard vtl, thread

attachment.

Boring, mill, 36"-44" N-B-P., sh.m.d. Brake, 8'x18 ga. Chicago hand. Brake, Keene toggle, 10 x20 ga. Buffer, 5 h. p. Hissey-W., 3 60 / 220. Chain, Morse, 13 '8 'x6 "x1" pitch. Die shaper, vert., Hanson-Whitney. Die sinker, No. 3 P. & W., r. t. Driller, 8, 6-sp. Detroit, chucks.
Drill, 5, 6 spd. L. G., b. b., m. d.
Drill, 1 spdl. C. O., vert, motor, b.b. Drill, radial, 3 Cin-Bick. t. a., m. d. Drill, radial, 24' Cin-Bick, t. a., m. d. Drill, 20' Barnes, all geared.
Engine, gas, 35 h. p. West, vert.
Engine, Diesel 166 h. p. De La Vergne
Furnace, 1D 8x14x36'', harden, gas.
Furnace, gas tempering, 10x10'', jot.
Gear cutter, (Pinion) 1x1'' S. & C.
Generator, 125 h. v. a. 3/60/220/900.
Generator, 98 k. v. a. 3/60/220/900.
Generator, 98 k. v. a. 3/60/220/900.
Grinder, 74h. p., U. S. dbl. end. 3/60/40
Grinder, 5 h. p. Hisey-W. 3/60/220.
Grinder, disc, vett. 30' Gardner, m.d.
Grinder, 6ks. xhaft motor 4''h. p., 1/60. Grinder, fiex, wett. 30° Gardner, m. a. Grinder, fiex, shaft motor 3° hp. 1/60. Grinder, T. & C. 2 hi f Cin. no att. Grinder, T. & C. 2 hio few atach. Grinder, pl. 11 B. & S. 4x30° (cheap). Hammer, 30 lb. United, power. Hammer, 1901b. Mayer, beltor m. d. Hammer, No. 80 & No. 4 B. No. ed. Hammer, No. 2B & No. 4 B Nazel, motor drive

motor grive.

Hammer, 800 lb. Erie s. f. steam.

Hammer, 800 lb. Chbg, steam drop.

Header, cold # Waterbury-F.

Keyseater, No. 2 Catlin cap. 2*x15*.

Keyseater, 28 *x3#* Morton.

Lathe, bench. 7*x22* Goodell-Pratt.

Lattle, 24*x16* LeBlond, 6* raising

blocks, chuck.
Lathe, 12"x8' R.-P., g. h., s. p. d.
Lathe, 16"x6' L. & S., g h., m.d., t.a. Lathe, 16"x10' L.&S., g.h. mtr. in leg Lathe, 18"x8' L. & S., cone, t. a. Lathe, 18"x8' Rahn-L., q. c. g., t. a. Lathe, 26"x12' Bridgeford, t. a. Lathe, 24"-38"x16' with chuck, b. d. Lathe, 36-48"x16' Fifield, chuck, b. d. Lathes, 16"x6' LeBlond, q. c. g. Lathe, 29"x8' Hendey, t. a. Lathe, 14"x19" Fay automatic. Magnetic chuck, 14"x40" Heald. Miller, No. 0 Steptoe, hand, vise, Miller, No. 2 Rockf'd, hand, on col. Miller, 2M Cin. pl., motor-in-base. Miller, 2M Cin. pl., yert, att, in base. Miller, 18" Cin. Mfg., mtr. 3/60/220. Miller, Garvin, 14-MP, & 21 plain. Miller, plain, No. 2A, Hendey, s.p. d. Miller, No. 4 Ohio, table 101". Milling & keyway att., No. 5 So. B. Motors, single and 3-phase (50).
Paint booth, spray & fan, complete.
Pipe dies and stocks # to 4" hand.
Pipe machine, 8" Jarecki. Press, Arch, No. 3A Mossberg.

Press, Arch, No. 3A Mossberg dial feed, also roll feed, (2). Press, D.C. No. 138A Stoll, 3" stroke. Press, embossing 50-ton Ferracute. Press, horn, No. 2 Michigan.
Press, horn, 42-h.p. Toledo,
Press, o.b., bed 34x30, pl., 2"st., 35-t
Press, o. b. i. 19 Bliss 21" st. form d Press, o.b.i. 1 vkv; 2 Thomas; 4 Nia. Press, screw, No. 87 Nagara. Press, wheel, 60-ton, 34" W-S. Punch, SE., 24" tht. 4"x4" m. d. Punch, SE., 36" tht. 14"x1" m. d. Punch & shear, s. e., No. 6 L. & A. Punch & shear, s. e., No. 4 L. & A. runch & shear, s. e., No. 4 L. & A. Punch & shear, d. e., cap 1/*x1", m. d. Riveter. No. 5A. Hi-Speed, m. d. Rolls, 16'x3" U. S. Forming, 4 rol.; Saw, Rold, Espen-Lucas, 7"rds. Saw, No. 6 Hunter, m. d. sharper. 18" Ohio, crank b. d. Shaper, 20" Cinciunati, motor dr., Shaper, 21" Smith & Mills.

Shaping mch., Hanson-W. univ., 44"
Shear, angle, 6x6x4", H.& J. No. 2,
mounted on turntable, for m. d.

mounted on turntable, for m. o. Shear, squaring 6*x14 ga. Streine. Shear, plate, 72"4" cap. Berisch, 24" gap. motor drive. Shear, sap. 42"4"x18" gap. Shear, gap. 42"4"x18" gap. Tapping chucks, 3/16"; \$" and 2". Testing mach., 100-ton Olsen, comp. Turret.2"x24" J. & L., chuck.

Partial List. Get Our Complete Stock List.

FOR SALE BY

Mid-West Machine Tool & Supply Co., Boring mill, 42" Bullard. Boring mill, 10' Pond. Grinder, No. 10 B. & S. ext.

Hobbers, No. 3 B & C Lathe, No. 9 LeBlond multi-cut.

Davenpert, lowa Lathe, 18" Libby H. D., turret. Millers, Nos. 9-Y Brown & S. Radial drill, 4' American sensitive. Turret lathe, Nos. 2 & 6 Warner & S.

FOR SALE BY

Wm. W. Meyer Blower Co.

1045 W. Washington Blvd.,

Chicago, Ill.

BLOWERS-FANS-EXHAUSTERS.
Connersville—Roots—Wilbraham Green—positive pressure rotary blowers. Spencer-General Electric-Eclipse-centrifugal motor driven blowers. Dust Exhausters-Disc Fans-Steel Plate and Ventilating Blowers. New-Rebuilt-Used.

FOR SALE BY

Segal Machinery Co.,

Drill, 4' Bickford, s. p. d., gear box.

Grinder, No. 60 Heald internal, cyl.

Miller, No. 4 Fox univ., s. p. d.

810 W. Lake St., Chicago, Ill.

Miller, No. 4 Fox univ., s. p. d. Screw mche., No. 4 W. & S., g. f. h. Shaper, 24" Milwaukee, b.g., sw. v. 16x14 and 10x14 Ingersoll-Rand compressor, 600 cu. ft. with unloader ... 425.

FOR SALE BY

Wigglesworth Machinery Company

199 Bent Street,

Brake, 10' 6"-3/16" ga. Geo. Ohl. Boring mill, 24" Bullard, New Era. Grinder, No. 2 Cincinnati, centerless. Hammer, No 6B Nazel. Lathe, 18"x16' Reed q. c. g.

Cambridge, Mass. Lathe, 42"x16' Flather, q. c. g. Miller, No. 2-B Brown & Sharpe Measuring machine, 36" Pratt & W. Thread miller, 6"x80" Pratt & W. Planer, 30"x30"x26' Gray.

FOR SALE BY

Chas. E. Wain Machinery Sales, 7800 Mack Ave.,

Detroit, Mich.

Drill, No. 13 P. & W. multiple, Drill, 42" Barnes, t. a. Drill, 20" Minster, h. d., 2" cap. Drill, No. 1 Barnes horizontal. Drill, 4"2-spindle L. & G.

Grinder, No. 1 Cincinnati t. & c. Grinder, No. 80 Heald internal. Grinder, No. 1 Production surface. Hand screw, No. 4 W. & S. Hand screw, No. 3-5 Foster.

FOR SALE BY

Brownell Machinery Co., 150 Pine St., Providence, R. I.

Drill, radial, 4' American. Grinder, Bath universal 12x36. Lathe, 60"x30' Pond. Lathe, 20"x10' Whitcomb. Miller, No. 3 Brown & Sharpe univ.

Planer, 42"x42"x10' D. & H. o. s. Planer, 24"x24"x6' Whitcomb. Shaper, 16" Garvin. Screw machine, No. 4 Brown & S., wire feed.

FOR SALE BY

Herben Machinery Equipment Co., 28-30 S. Clinton St., Chicago, Ill.

Brakes, 3, 6, 8, 10', 16 & 18 ga. Drills, 20'', 25'', 1, 2 & 3-p. pl. & b.g. Ironworkers Nos. 23 & 10 Pels. Lathes, 5'', 3'', 11'', x4'' bench, 13'', x5', 14''x5' q.g., 20''x12' Hendeyq.c.g. Presses, Nos. 1 to 8 o b. i. Nos. 38, 38 B Hiss., No. 25 Stoll, 42 Tol.horn. Rolls, for light and heavy metal.

Saws, H. S. Peerless; 1 & 2 Marvel. Screw mches., Nos. 0,1,2,3 Foster & W.& S.,hand B.& S., & Acmeauto. Shears, 30, 36, 42, 52, 62, 96" foot pwr. Shrs.,pwr.,62" 10 ga.; 10' \(\frac{1}{2}\)", 10' 10 ga. Spot welders, \(\frac{5}{2}\) 12 \(\frac{1}{8}\) w. 1000 parts & collets for automatic

screw machines.

FOR SALE BY

| Scott-Bansbach Machinery Co., 4607 West 20th St., Chicago, Ill. |
|--|
| Master tool maker, Graley 150. |
| Miller, No. 1 B. & S., plain head, power feed |
| Miller, No. 2H B. & S. plain, cone type, with vise, c/s and arbors 400. |
| Miller, No. 3 Kempsmith, plain, cone drive |
| Miller, 12" Cincinnati, mfg. type, s. p. d., vise and pump |
| Miller, 12" Cincinnati, mfg. type, s. p. d., vise and pump |
| Miller, No. 7 Becker, Lincoln type 78. |
| Miller, Ingersol slab, 42"x36"x9" |
| Motor, 20 h. p. Fairbanks, slip ring, 220, 60, 3, 360 to 720 r. p. m 150. |
| Planer, 24x24x6 Ohio heavy duty, I head 250. |
| Press, No. 34 Greenard with ratchet, bench type |
| Press. No. 4 Greenard with ratchet, floor type, adjustable table |
| Press, kick, 2" stroke, 375 lbs. 6 on hand, each |
| Press, kick, 2" stroke, 375 lbs. 6 on hand, each |
| Press, No. 0 Consolidated bench o.b i. with mtr., 12" str. 350 lbs. 74 ton 100. |
| Press, No. 2 Thomas o. b. i. 2" stroke, 15 ton, 1600 lbs |
| Press No. 20 Riss o h i 24" stroke 28 ton 2300 lbs 250 |
| Press, No. 2 solid back, 14" stroke, 25 ton, 1500 lbs |
| Press, No. 2 solid back, 14" stroke, 25 ton, 1500 lbs |
| Press brake, Ohl, 7'x10gauge, with belted motor drive |
| Punch, 10" throat, single end, Kneeland or Spaulding,each 100. |
| Riveter, No. 1 B., High speed hammer, \"capacity, no ctrsft 60. |
| Riveter, No. 3 A., H. D., High speed hammer, &" cap., with motor 200. |
| Riveter, No. 3 A, H. D. High speed hammer, cap. \$", belt driven 150. |
| Riveter No. 4A High speed hammer, 4" capacity, no ctreft 900 |
| Riveter No. 5 A, High speed hammer, cap. 1", motor shelf. 278. |
| Saw, No.2 Klem, band, for metal cutting, belt drive 300. |
| Saw, Napier, model B, band, for metal cutting, belt drive |
| Scleroscope, Shore complete with stand and blocks, model C |
| Shear, 30" Bertsch, 16 gauge, 12" gap, foot power |
| Shear, 10' Bertch No. 16 gauge overhead drive, shallow gap |
| Shear, 10" Niagara circle, No. 20 gauge, cuts 58" dia. circle |
| Shear, slitting, Elgin, 26 gauge, 28" between, with cutters & fingers 125. |
| Separator, National, oil, 11 quart capacity |
| Separator, oil, American It bushel |
| Slotting attachment for No. 3 Kempsmith miller 100, |
| Shapers, 13" Juengst, crank, vise and countershaft |
| Shaper, 24" Walcott, H. D., back geared crank, vise and c/s |
| Swedger, No. 4 Etna, 2" tube capacity 250. Tapper, No. 1 Garvin Automatic, capacity ?" iron, ! steel 75. |
| Tapper, No. 1 Garvin Automatic, capacity #" iron, # steel |
| Threader, I" H. & G., floor type |
| Threader, I" H. & G., floor type. 100. Screw machine, I" Pierce, all complete with collets. 125. |
| Screw machine, No. 2 Foster friction head with out cross slide 75. |
| Screw machine, No. 2 Foster, friction head, all complete |
| Screw machine, No. 3 Acme friction head without cross slide |
| Turret lathe, 24x10" Milholland, for chuck and bar work |
| Vertical attachment for No. 2 Brown & Sharpe miller |
| Welder, butt. Toledo, 8 KW., capacity \(\frac{1}{2} \) round |
| Wire straightener, Shuster, 3/16" capacity, 8 foot carriage, |

FOR SALE BY

Geo. M. Bernstein & Co.,

Drills, 1, 2, 3 sp. Sipp, h. s., b. b., No. 2 m. t., 8" overhang. Drills, 1, 2 & 3 sp. Avey, h. s., b. b., No. 2 m. t., 8" overhang. Drills, 1, 2 & 3 sp. Avey, h. s., b. b., Gear hobbers, No. 1 2 B C; gears, Grinder, No. 1 LeBlond, t. & c. Grinder, No. 2 Am. surf., mag. ck. Grinders, No. 2, 3 W. & M. sur. cks. Lathe, No. 3 Foster tur., (like new). Lathe, 18" 3" Walcott q. c. g., t. a. Latte, 14" 16" Hendey, q. c. g., t. a. Lattes, No. 8 & O. Lurret collets. Lathe, 19 X6 Frendey, q. c. g., Lathes, No. 0 B. & O, turret collets, Lathe, 20"x12" Brad, q. c. g., t. a. Miller, No. 2 Knight vert., s. p. d. No. 114 Besley disc grinder, 30", equ

14 S. Clinton St., Chlcago, Ill. Miller, No. 211 K.& T. vert., s. p. d. Miller, No. 3 B. & S. pl., arr. m. d. Miller, No. 1 Kemp. univ., equip. Millers, No. 1 Kemp. univ., equip.
Millers, No. 2, 3 Kempamith, plain.
Millers, No. 1 U. S., hand.
Miller, No. 6 Whitney, hand.
Presses, No. 20 Bliss, o.b.i., 2" str.
Presses, No. 18 Bliss, o.b.i., 2" str.
Saw, 6"x6" Peerless high speed.
Scleroscope, Model C Shore.
Shapers, 16" Smith & Mills, b. g. Shaper, 17" Averbeck, crank. Shaper, 21" American, b. g.

, equipped with 15 h. p., 220-440 volt, 6 cycle, 3 ph. G. E. b. b. mtr., 2 univ. tables & blower. Tex-rope drive. Like new.

FOR SALE BY

Brown Machinery Co.,

Brake, 8' Chicago, cap. 10 ga., m. d. Brake, 8' 16 ga. Whitney-Jen., new. Broach, No. 1 La Pointe, sgl. spdl. Drills: 24", 26" and 32".

Drills: 24", 26" and 32".

Drill, Allen B., single spindle, m. d.

Drill, Demco b. b., m. d.

Grinders, cylindrical, 12x36" Modern;
18x36" Norton.

Grinders, disc. No. 6-29 Besly; No. 220 Badger, automatic. Groover, power, 6' horn. Lathes, 30" Blaisdell, 26" Putnam, taper attachment, 18" & 16" Lodge & Shipley: 16"x8' Monarch geared

head, motor drive Lathe, turret, 16" Gisholt.
Millers: No.2 Hendey-Norton, univ.;
No.3‡ Fox; No.4 Hendey Lincoln; 2333 N. 9th St., St. Louis, Mo.

American No. 14 plain. Planer, 42x42x10 Pond Planer, 24"x24"x6' S. & S. Press, No. 73 Swaine, s. s. Press, No. 7 Zeh & Hahneman, s. s.

Nos. 1, 3, 4 Loshbough-Jordan. Presses, o. b. i. Nos. 5 & 6 Consolidated comb. geared.
Punch, Cleveland C in in it Rock
River Style L in it.
Punch & shear, No. 9C Beloit. in it.

Punch & shear, L. & A. #" cap. Riveter, No. 5A High Speed, #". Shaper, 24" Ohio: 20" Queen City. Shaper, 20" Columbia. Shear, 50" Excelsior, gap 10 ga. cap. Shear, 1" Lennox bevel. Welders, 20 k. w. Agnew; 5 k. w. Dyer.

FOR SALE BY

Wm. C. Johnson & Sons Machinery Co. 1211-1223 Hadley Street, St. Lonis, Mo.

Air compressor, 12"x10'Chgo., belted Bar shear, 5"x\frac{1}{2}". Bolt threaders, 1" & 1\frac{1}{2}" Landis. Boring mills, 36", 42", 60" & 72", Bulldozers, No. 3 and No. 4, Drill, 1 spindle Avey. Drill, 3' Mueller radial. Drill, 8' Dreses radial.

Drill, 6' Dress radial.
Drill, 6' arm American radial.
Grinder, 12"x80" Landis universal.
Grinder, 12"x80" Landis universal.
Grinder, No. 60 Heald cylinder.
Lathe, 18"x7" P. & W., geared head.
Lathe, 18"x9" Lehman.
Lathe, 36"x2" American quick ch.
Lathe, 38"x2" American.
Lathe, 38"x1" & Lodge & Shipley.
Lathe, 38"x8" Macort.
Lathe, 18"x8" and 9' Lehman.

Lathe, 20"x14' American, q. c. g. Lathe, 18"x12' South Bend. Miller, No. 2 Brown & Sharpe, pl. Miller, Ingersoll slab, 27"x23"x14' bed, 4 heads, motor drive. Pipe machines, 4", 8", 12" & 16". Planer, 60"x48"x10' Gray.

Press, 35 Swaine. Press, 92C Toledo, geared Press, No. 59 Niagara grd, tie rod. Punch, No. 14 W. W., 12" throat.

Pmnch & shear, Pels combination. Fmnch & snear, Fels combination. Sand slinger, Beardsley & Piper. Shapers, 12, 16, 18, 20, 24 and 28". Shear, circle, No. 310. Niag. 48" thr. Turret lathes, No. 3A W. S. 8". hole, motor drive; No. 2A W. S., 21 & 26" Steinle: Gisholt 38". Wheel presses, 48" & 70" hydraulic.

FOR SALE BY

Davis Machinery Co., Davis Machinery Co., S. C. Lais Drill, A "Bickford radial. e. p. d., t. a. Drill, Avey h. e., b. b., 10" overhang. Gear hobber, No. 3 Barber-C. (3). Grinder, No. 6 Gardner, b. b. disc. Grinder, No. 14 Pratt & W. vert. sur. Grinder, No. 2 B. & S. surface. Hammer, 4A High. Speed riveting. Lathe, 16"x8 Springfield, q.c. g., d.c. Lathe, 14"x8 'Hendey q. c. g. d.e-bar Mill, 2-M Fotter & J. horiz, auto. Mill, 18" Coincinnati automatic.

St. Clair & Washington Sts., Toledo, Ohio Nibbler, No. 0 Gray, 5/32 capacity. Oil groover, No. 1 Fischer. Oil groover, No. 1 Fischer.
Press, 15 ton Lucas forcing m. d.
Press, No. 21 Bliss-Consol. horning.
Press, No. 13 Toledo. horning.
Shear, Wangler rotary bevel, 4" cap.
Saw, No. 2 Klemm metal cutting.
Shapers, 20", 24" Steptice crank, b.g.
Shaper, 20" G. & E. crank, m. d.
Shears, 15 A. Miagarg circle, 16 ga. Tappers, No. 2 & 2X Garvin, vert.

FOR SALE BY

The O'Brien Machinery Co.,

Boring mill, 42" Bullard vert. 2 hds. Column facer, 14" Espen-Lucas. Grinder, No. 55 Heald.

Grinder, No. 2 Van Norman Piston. Grinder, 10"x82" Landis, self con-tained, plain. Hammer, 800 lb. Erie, steam forging.

Hammer, 1100 lb. NBP. steam forg. Hammer, 2000 lb. Chambersburg double frame, steam.

Keyseater, No. 2 Baker, 2" cap., belt drive.

Lathe, 27"x12' L. & S. geared head. Lathes, 18"x8' Bradford, mtr. dr.

113 N. Third St., Philadelphia, Pa.

Lathe, 24"-48"x22" McCabe, belt. Lathe, 66"x36" Bement, motor drive. Miller, No. 3 K. & T., univ. table 55"x15", range 34"x12"x13", Miller, No. 4 Cincinnati universal, belt driven, table 57"x14" Miller, No. 4 Cincinnati vertical,

single pulley drive. Pipe machines, 2. 4, 6, 8 and 12"

belt and motor drive Punch, beam, type 1G Clev., 24" bms. Punch, No. 3 Southwark (x1", mir. Shapers.14,16,20 & 24" various makes Shear, No. 5 H. & J. s. e., 24" blades.

FOR SALE BY

Surplus Material & Mchry. Co., 8735 Kercheval Ave., Detroit, Mich.

Mill, No. 9G. & L. hor. 3 cap.m. d. Mill, No. 5C Becker vert., motor dr. Mill, No. 3 B. & S. vert., s. p. d Mill, 24" Bullard, vertical turret. Mill, No. 4 B B. & S. pl., taper nose.

Drillers, 2 Detroit, 5 spindle horiz. Grinder, No. 2 B. & S. universal. Grinder, No. 2 Cincinnati plain. Pipe threader, Landis, 4" mtr. dr. Spot welder, 30 k. w. Federal elec.

FOR SALE BY

J. Bleser Mfg. & Machy. Co., 16th & Madison St., Springfield, Ill.

Miller, No. 2 Garvin U. \$ 195.

Motor, 75 H. P., G. E. K. T. 225.

Radial drill, 7' Bement. 395.

Shaper, 13'' G. & E. 125.

Slotter, 13'' Bement. 295.

FOR SALE BY

H. F. Wolnick Machinery Sales 21st & Marshall Blvd., Chicago Phone Lawndaie 1777 .

Auto, screw mches, No. 53 Acme (2) Broach, No. 2 La Pointe. Broach, No. 2 Laronne. Gear generator, 18" Gleason s. b. Gear hobber, No. 12 Barber-Colman, Gear shapers, 16" Bligram bevel. (2). Shear blade & tool grinder, auto.

Mills, plain and universal. Press, No. 6P Ferracute. Pres , No. 78 Toledo, m. d. Power saw, No. 4B Cochrane & Bly.

BARGAINS with SAFETY

Vertical & Horizontal Boring Mills

5° bar Detrick & Harvey floor type.
3° bar Lucas, Table type.
3½° bar Detrick & H. floor type.
42° Gisholt, Bullard, & Niles, 2 heads on rail. All P. R. T. motor drive.
48° Colburn 2 heads P. R. T., m. d.
84° Betta, belt drive, 2 heads.
10′ N. B. P. heavy, grd. feeds, m. dr.
36° Bullard vertical turret, motor dr.
36° 44° Fatta & W. vert. turret, m. dr.

Lather

18*x10' American, gd. hd., motor dr. 20*x8' American, gd. hd. motor dr. 36*x26' Banigerof gd. hd., motor dr. 46*x28' H. S. & G. gd. hd., mtr. dr. 24-48x 14' McCabe gap gd. hd., mt. dr. 24-48x 16' McCabe gap, belt drive. 33*x12' L. & S. heavy g. c. g., belt. 36*x22' New Haven late q. c. g., belt.

Drilla

& Z. spindle Avey.
 Aveymatics.
 2, 3, 4 spindle High Speed. Allen and Leland & Gifford.
 24" & 30" sliding head, tapping, m. d. Suyder and Autron, single spindle.
 3" Cincinnati-Bickford plain radial.
 Niles Universal radial.
 Niles Universal radial.
 Amer. Tri. Purp. plain radi.
 Amer. Tri. Purp. plain fad., m. d. 6'N. B. P. right line radial, motor dr.

Milling Machines 2A & 3A Brown & Sharpe Universal.

No. 2 Cincinnati vertical.
24° Cincinnati duplex, late type.
No. 3-B Milwaukee pl., late type (2),
No. 14 Cochrane & Bly univ. vertical
Miller and Shaper, s. p. d.
No. 2-B Milwaukee Univ., m. d. (2).
No. 2 Kempsmith Maximiller, m. d.
No. 3 Headey plain, cone drive.
No. 3 Cincinnati plain Hi-Pr., gd. hd.
No. 2 Knight vert. mil. & drill., s. p. d.

Shapers & Planers

72°x72°x18° D. & H. motor drive. 10° Pratt & Whitney vertical. 16° & 20° Smith & Mills, back geared. 20° G. & E. High Duty gear box m. d. 24° G. & E. High Duty back gd. cone. 24° American Heavy gear box, m. d.

Grinders

No. 2 Cincinnati centerless, Tex rope dr., Hydraulic truing device, A. C. motor drive, with motor (2). 16°x48° Landis crankshaft self con. No. 65 Heald cylinder, Like new. 10°x24° Landis self contained. No. 2 Diamond surface, belt driva. No. 19, 53 Besly vertical duc, belt.

Presses

No. 77½ Bliss st. side, double grd. No. 92½ C Toledo, st. side, d. c., gd. No. 203D Toledo, st. s., d. c., flywheel No. 74 Bliss-Cons. gap frame flywheel, No. 72 Cons. gap frame, geared (2). No. 5 V. & O. open back inc. fly. No. 6 Perkins knuckle joint embossing.

Brakes

13'x3/16" Geo. Ohl brake, belt. 10'x10 ga. Loy & Nawrath, brake. 10'x¼" Loy & Nawrath brake, m. d.

Shears

6'x10 ga. Niagara 16" throat, m. d. 8'x3/16" Ohl squaring, m. d. 13"x34" Hyde Park, 16" throat, m. d. 13'x14 ga. Ohl Squaring, belt.

Miscellaneous

134" & 114" Cridleys Model F. 50"x34" Niles Straightening Rolls. 10"x14" Bertal Bending Rolls. 8" Jarecki Pipe Machine. No. 13 B. & S. Standard Gear Cutter. 103"x20" G. & E. Gear Cutter. 15" Gleason Gear Generators (2). 134" Landis Single Bolt Cutter, belt.

Others Too Numerous To Mention-Write

Kennard-Rafkin Machinery Corp.

116 Liberty St., Phone: BArdlay 7-1560 1-1 New York City Warehouse: Jersey City, N. J.

FOR SALE-HIGH G

Liquidation of all Machine Tools, Motors, Raw Ma

GEARS & FORGINGS FORD CITY, PA.

Appraisal Value over \$1,000

No. 4 LEBLOND UNIV. MILLING MACHINE Flanged spindle nose, vertical attachment, universal dividing head, swivel

With vise, Old machine.

vise, lots of arbors and cutters. Excellent condition.

16" GOULD & E. HEAVY DUTY SHAPER. With vi
24" CINCINNAT! HEAVY DUTY SHAPER

24" CINCINNAI'I HEAVY DUTY SHAPER
Square way type, with vise. Motordrive through gear box. Good cond.
20"xi6' SCHUMACHER & BOYE LATHE. Five-step cone drive.
21"xi6' LEBLOND HEAVY DUTY GEARED HEAD LATHE
Large and small face plates. Steadyr., follow r., taper attach., chuck.
22"x10" LEBLOND ENGINE LATHES
42" BULLARD NEW ERA VERTICAL TURRET LATHE.
Ser. 12,787, 4-jaw chuck, bl., lutr. & tap. turn. att., AC mtr. Like new.
16" DIAMOND M. D. GKINDING STAND, 220 v. 3 ph., 60 cy. Excel.
21"x12" PITTS. MCHE. TOOL ENGINE LATHE. Ser. 427. Q. c. g.
21"x12" LEBLOND HEAVY DUTY GEARED HEAD LATHE
16 Speeds. Good condition.

16 Speeds. Good condition. 30"x16" LODGE & DAVIS LATHE No.1-A WARNER & SWASEY, UNIVERSAL TURRET LATHE

Serial 243419. Both bar and chucking equipment AC. 60" COLBURN TWO HEAD BORING MILL. LIKE NEW Power rapid traverse in all directions, all geared feeds. 26" TYPE "C" LIBBY TURRET LATHE

Power rapid traverse in all directions, all geared feeds.

8° TYPE "C" LIBBY TURRET LATHE

14° hole in spindle, 4 jaw chuck, chucking equipment, a. c. motor drive.

14° STEINLE TURRET LATHE

FAUTER WORM MILLING MACHINE

Single pulley drive, about 30° between center. Good condition.

2-No. 37 GLEASON AUTOMATIC BEVEL GEAR PLANERS

Serial 8060. Complete equipment for rough. Énish, a. c. motor drive.

2-24° GLEASON AUTOMATIC BEVEL GEAR PLANERS

Serial 716. Complete equipment for rough & finishing, m. d. with mtr.

36° NEWARK SPUR GEAR CUTTER

36° NEWARK SPUR GEAR CUTTER

72° GOULD & BEBERHARDT GEAR CUTTERS

72° GOULD & BEBERHARDT GEAR CUTTERS

72° TAVEUS DOUBLE HELICAL GEAR HOBBER

Cap, 48° 15° Iace, pitch rance 8 to 3 diam. pitch. Weight 12000 lbs.

96° FAWCUS GEAR RUNNITH. GEAR CUTTER

36° FAWCUS GEAR RUNNITH. GEAR CUTTER

48° FAWCUS GEAR RUNNITH. GEAR CUTTER

56° FORD RADIAL DRILL. Gear box drive.

74° LANDIS FLOOR TYPE BOR. MILL. 6'28° floor plate. LIKE NEW.

75° HOR OF OUR SEAR RUNNITH. GEAR CUTTERS

76° GOULD ALL DRILL. GEAR DRIVERS

76° SOULD BE SEEL CAL GEAR HOBBERS

76° TON HORIZONTAL HYDRAULIC PRESS. 12° ram.

76° SICK FOND EX DATE OF THE COMMENT. 18 SPECIAL SEAR HOBBERS

76° CINCINNATI BICKFORD RADIAL DRILL. Gear box drive.

76° SOULD BE BEERLARDT GEAR CUTTER.

76° CINCINNATI BICKFORD RADIAL DRILL. 18 Speed bd.

28° 22° LEBLOND HVY. DUTY GRD. HEAD LATHE. 16 speed bd.

28° 22° 22° LEBLOND BOUBLE HELICAL GEAR HOBBER.

76° TAWCUS DOUBLE HELICAL GEAR HOBBER.

76° TAWCUS BEERRARDT GEAR CUTTER. 86° above.

Ford City Machinery Sales

RADE MACHINERY

rials, Small Tools, Appliances, Office Equipment.

FAWCUS PLANT

Near PITTSBURGH

00. Everything is for sale.

8-96"-120" FAWCUS DOUBLE HELICAL GEAR HOBBERS.

8-96" -120" FAWCUS DOUBLE HELICAL GEAR HOBBERS,
Max. cap. 108x40" face, Pitch range 4 diam, pitch to 12
Weight 45000 lbs. each, Worm, helical and herringbone,
40"x40" 121 GRAY WIDENED PATTERN PLANER
2 rail heads and 1 side head, LIKE NEW.
30"x30" LIBERTY PLANER, 1 rail hd. & 1 side hd. AC m. d., with mtr.
No. 6.A MITTS & MERRILL KEYSEATER
No. 3 MITTS & MERRILL KEYSEATER
No. 3 MITTS & MERRILL KEYSEATER
14' FAWCUS DOUBLE HELICAL GEAR HOBBER

90" table,, AC motor drive, with 35 H. P. motor. Cap, 15'x60" face,

yo table, Ac motor drive, with 35 H. P. motor. Cap, 18'x60" lace, pitch range from 3 diametral to 18.2.
27"xx18" PRENTICE GEARED HEAD LATHE 30"x30"x31" DETRICK & HARVEY OPENSIDE PLANER 1 rail head and 1 side head.
MORTON DRAW CUT SLOTTER. 10' span, 56"un. rail, 10'x12' floor pl. 20"x120" LANDIS PL. SELF CONTAINED CYL. GRINDER Serial 8721 Lot of equipment. Excellent conditions.

AIOKION DRAW COL SELOTIER. 10 Span, 55° un. rati, 10 X12 noor pl.
20° X120° LANDIS PL. SELF CONTAINED CYL. GRINDER
Serial 8721. Lot of equipment. Excellent condition.
INGERSOLL SLAB MILLER. Inclined rail, 24° x10° table. Old machine.
96° x60° x30° DETRICK & H. OPENSIDE PLANER. 2 rail hads, 1 s. hd.
72° x60° x34° GRAY PLANER. 2 rail heads, 2 side heads.
49° x40° LODGE & SHIPLEY LATHE. Internal geared, faceplate drive.
6° PRENTICE RADIAL DRILL.
6° CINCINNATI BICKFORD SUPER-SERVICE RADIAL DRILL.
Motor on arm, 15° column. LIKE NEW.
10° -16° BETTS TWO HD. BORING MILL. Mtr. dr. for rais. & lower arm.
6° POND SOUARE COLUMN RAD. DRIELL. Ser. 80636. Motor on arm.
9° "9° PEERLESS HACK SAW.
5° BAR DETRICK & H. FLOOR TYPE BOR. MILL. 9'x12' floor plate.
24° FAWCUS HERRINGBONE GEAR PLANER. Capacity 24' x42''.
64° BAR NILES FLOOR TYPE BORING MILL
Late type, 15° x15° floor plate. Several boring bars.
FAWCUS HERRINGBONE PINION PLANER.
12° BETTS BOR. MILL. 10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
8° BETTS BORING MILL.
80° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
8° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
8° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.
10° BETTS BORING MILL.
10° tbl. 60° under rail, gd. fds. & pwr. rapid trav.

84" COLBURN VERTICAL BORING MILL
Powerrapid trav. in all direc, latest type, AC m. d., with mtr., like new.
No. 2 BAKER KEYSEATER.
OLIVER DRILL GRINDER. Motor in base, 220 v., 3 phase, 60 cycle.
No. 3 BROWN & SHARPE UNIVERSAL GRINDER, complete.
No. 2 BROWN & SHARPE UNIVERSAL MILLING MACHINE.
No. 4G LEBLOND UNIVERSAL MILLING MACHINE.

Latest type, hvy, duly, sel, pulley dr, with univ, divid, hds. & vert, att.
No. 2 KEMPSMITH UNIVERSAL MILLING MACHINE.
1788 LEBLOND GD. H&AD LATHE. ACMIT, in base, taper att., chuck,
18"88" ROCKFORD LATHE. Quick change. Taper attachment.
2—PFAUTER HOB GRINDERS.

There is also in the plant a room 60'x15', lined with hobs, cutters, gauges and small tools. A complete power generating outfit, a forge shop, pattern shop and many new high carbon steel bars.

Telegraph Phone-No. 60 Ford City, Pa.

Modern Machine Tools

GEAR MACHINERY

No. 34 Brown & Sharpe Gear Hobber, Nos. 3, 12 Barber-Colman.
Nos. 3, 12 Barber-Colman.
Nos. 3, 4, 13 Brown & Sharpe.

GRINDERS 10x20* Landis hydraulie cyl., m. d. 12x72* Landis plain cylindrical. No. 72A3 Heald SizeMatic, two m. d. No. 20, 22 Heald rotary surface. No. 25 Heald Rot. Surf., hyd., m. d. No. 2 Brown & S. automatic surface. No. 2 Diamond Automatic Surface

MILLING MACHINES No. 4 Cincinnati pl., rect. overarm, md. No. 3 Rockford Rigidmill, m. d. No. 2, 3 Cincinnati universal high power, s. p. d. No. 2, 3, 4 Cincinnati vertical high

power, s. p. d. 18º Cincinnati Mfg., like new. 24*, 48* Cincinnati duplex auto. m. d.

18º 24º, 48º Cinc. plain, auto., m. d. GEARED HEA 60"x29" Houston, Stanwood & G. md. 14"x8' Reed-Prentice.

18"x8' American, 12 speed. 18"x8' American, 12 speed. 18"x8' Lodge & Shipley, 12 speed. 20°x81 American, 12 speed.

3' American Triple Purpose Rad., m.d. No. 2, 4, 22 Colburn Mfg. D2, D3, D4 Colburn H. D. No. 121, 216, 217, 220, 310, 314, 315 Baker H. D.

4 sp. 22" Barnes Camel Back Self-O. 4 spindle No. 2 Colburn Mfg. 4 spindle No. 2 Avey Matic. 1, 4, 6 spindle No. 3 Avey, late. 6 spindle No. 1/2 Avey, latest.

BORING 24", 36", 42" Bullard New Era, m. d. 30", 36" Gisholt Vertical, belt. 37" Niles Vertical, motor drive.

37° Nies Vertical, motor unive.
40° 52° King Vertical. motor drive.
40° 52° King Vertical. motor drive.
TURRET LATHES,
MFG. LATHES
334x36° Acmed Vaiv. Grid. Hd., m. d.
2A. 3A Warner & S. Univ., bar.
2B. 2Blond Multi-Cut.
2B. 4W Whitney, turret. 3/4x36* Acme Univ. Grd. Hd., m. d. No. 2A, 3A Warner & S. Univ., bar. No. 2A, 3A W. & S. Univ., chacking. No. 1, 2, 4, 6, 8 Warner & S., turret. No. 4 Warner & Swasey Universal. No. 5A, 6A, 7A Potter & J Autos.

Write for Complete Stock List.

Nos. 6, 61, 612 Fellows Gear Shaper. No. 5A Lees-Bradner Gear Gen. 6°, 11°, 18° Gleason Gear Gen. Nos. 18H, 18HW G. & E. Gr. Hob. 30° Ingle Gear Tooth Rounder.

No. 1, 2 Brown & Sharpe universal. No. 13 Brown & S. Univ. & Tool. No. 11 Giddings & L. Tero., 3 m. d 6x18, 10x24, 10x36, 12x36, 10x52. 16x52º Landis pl. cyl. self-cont.

No. 2, 12x36" Cincinnati universal. 12x36" Cincinnati plain.

No. 2, 3, 4,5 Cinc. pl., hi. pwr., s.p.d. No. 114, 2, 3 Cincinnati univ., cone. No. 14, 2, 3, 4 Cincinnati pl., cone. No. 14, 2, 3 Brown & S. univ., cone. No. 2 Kempamith plain, cone. No. 4 Kempamith Vert. Maxi, m. d. No. 3B, 4B Heavy, 5B Hvy. Brown &

Sharpe plain, m. d., late. No. 21 Brown & S. Automatic, s. p. d.

No. 21 Brown 6.3. Automatic, s. p. of AD LATHES 20°x6¹ Hendey. 20°x6¹ American 8 speed. 20°x1⁴ Hendey. 22°x1⁴ Lodge & Shipley, 12 speed. 20°x1⁴ Hendey.

24"x8" American, 12 speed, taper. 30"x12" American, 12 speed. DRILLS 6 spindle No. 2 Avey, power feed. 4' Fosdick Radial, gear box. 3½', 5', 6' Cinc.-Bick.rad., gear box

5 American radial, gear box. 20, 21, 24, 28, 36 Cincinnati-Bickford upright. 21, 24°, 28°, 32°, 36° Autora upright. 20°,22°,26°,34° W. F.&J. Barnes upr.

No. 30 Natco multiple, motor drive. No. 25 Baush multiple, motor drive. MILLS

72ª Niles Vertical, belt. 72° Bickford Vertical, belt.
No. 0 Fordick Horizontal, 31/9° bar.
Cleveland Horizontal, 21/2° bar.

Dreses turret 21 x 10 LeBlond Mfg.

THE EASTERN MACHINERY CO.

CINCINNATI, OHIO 3265 Spring Grove Ave.,

Send For Complete List

Boring Machines (Hor.) No. 0 Giddings & Lewis No. 32 Universal, 32" bar. No. 32 Lucas, 32" bar.

Boring Mills (Vertical) 24" Builard, "New Era", 32" & 42" King. 36" & 42" Builard "New Era"

61" Bullard Maxi-Mill 62" Colburn, Heavy Duty. 72" King.

10' Niles

Drills (Ball Bearing) No. 1 Leland-Gifford. 1, 2, 3, 4, 6 Spindle L.-G. 1, 2, 6 Spindle Henry & Wright. 4 Spindle Sigourney.

Drills (Mfg.)
Boley Multiple Drillers,
Nos. 2 & 14 Colburn, 1, 2, 4 spindle. Nos.121 & 217 Baker, m. d. 24" Cinu.-Bick., slid. head.

Drille (Radial) Western, timken bearing, m. d. 3' American. 4' Cinn.-Bickford, m. d. 5' American, full universal.

Gear Cutters

Nos. 3 & 12 Barber-Colman Nos. 9-H & 18-H G. & E. hob. Nos. 6. 65, 61, 612 Fellows.
6" & 18" Gleason bevel gear.
37" Gleason bevel planer.

Grinders (Plain) Nos. 10, 11, 12 B. & S. 10"x24", 36". 50" Norton. 10"x72" Norton. 10"x72 Norton. 14"x36", 52" Landis. 14"x36", 50", 72" Norton. 16"x96" Norton, m. d. 20"x120", 168" Landis, m. d.

Grinders (Univ.)
No. 2 & No. 2 Bath universal.
No. 4 Landis.

Grinders (Misc.) No. 70 Heald, Internal No. 2 Brown & Sharpe, surface. No. 10 Blanchard, surf., m. d. No. 16-26" Blanchard, surface. No. 3 Abrasive, surface, 14"x36", 22"x7" P. & W. surface, 15"x17"x72" Norton, o. s., surf. 26"x84" Diamond, byd. face. 'x84" Diamond, hyd. face.

Lathes (Screw Cutting) Screw Cutting)
8" Rivett Bench, rel. attachment, 12"x6" L. & S. sel. g. h.
12"x6" L. Blond, s. p. d.
16"-19"x6" L. & S. sel. g. h.
16"-19"x6" L. & S. sel. g. h.
18"-29"x8" L. & S. sel. g. h.

20".22\$"x8',12' L. & S. sel, g. h. 24".27\$"x12' L. & S. sel, g. h. 24".27\$"x12' L. & S. sel, g. h. 25"x24' LeBlond geared head, 27".40"x18' L. & S. sel, g. h. 36".40\$"x14' L. & S. sel, g. h. 36"x18', 36" Rahn-Larmon. 66"x21',36" Putnam t.g., m. d.

Millers (Thread) 4\$"x12", 6"x48", 6"x80" P. & W. No. 4 Lees-Bradner.

Millers (Plain)

Nos. 0.1, 2, 3-B, 4-B, 5-B, B. & S. Nos. 1-Hand 2-B Milwaukee. Nos. 2 & 1 Cinn. h. p., s. p. d. No. 3-B. No. 4-B Milw., s.p.d. Nos. 4 & 5 Cinn. h. p., s.p. d.

Millers (Univ.)
No. 2-M Cincinnati late type.
No. 2-A Brown & Sharpe. No. 3 GS Hendey, s. p. d.

Nos. 3, 4 Cinn. h. p., s. p. d. Millers (Vert.)

No. 1-A Milwaukee, s. p. d. No. 2-M Cincinnati. No. 3 Cinn. h. p., motor-in-base. No. 5 Brown & Sharpe.

Planers "laners 22"x22"x5 Gray. 24"x24"x12 Gray. 30"x30"x6 , 18' Cincinnati. 36"x36"x6 , 18' Cincinnati. 36"x36"x10 Gray, rev. m. d. 36"x36"x24' & 48"x46"x10' Gray. 56"x56"x24' & 72"x12' Cincinnati. 72"x72"x12' Cincinnati.

Presses No. 20 Bliss, o. b. i. No. 4 Consolidated. No. 95-E Toledo, double crank. No. 96-F Toledo, double crank.

No. 106 Bliss, gap. No. 96-I Toledo, double crank. H. & W. 50-ton dieing machine. Shapers 16" Smith & Mills. 20" American, s. p. d. 20" Gould & Eberhardt, late tpyc.

24" American, s. p. d. 24" Gould & Eberhart, s. p. d. 24" Rockford

Turret Lathes

Nos. 3A W. & S. univ. turret.

18"-3-9/16" Libby, motor drive.

26"-74" Libby, inter. turret.

No. 4-L Gisholt.

Miscellaneous 10' Kling bending roll.
10' Ohl brake.
Cleveland "C" punch & shear.
No. 362 Niagara square shear.

HILL-CLARKE MCHY. CO. 645 Washington Blvd., Chicago, Ill.

-JUST PURCHASED-

TO CELEBRATE OUR NEW WAREHOUSE

Automatic, Gisholt, Simplim. (2), Brake, press Chicago All Steel 12¹, 1/4⁸ cap. M. D., used 30 days, 3 years old, like new.

OSIGN, HEE BENDER OF WATER OF BUTY.
OTHER NO. 2, 2 Sp. Leland & G. P. F.
Drilla, No. 3, 3 spindle Avey P. F.
Drill, No. 2, 4 sp. Avey 12 TO. H. (3)
Drill, No. 2, 4 sp. Leland-G. 10 TO. H. Drill, No. 2, 4sp.Leland-G. 10" O.H. Forging machine, 3" Aias, late type. Presses, No. 5, 5½ & 6 Consolidated. Presses, No. 173-B Consol. D.C., Gsp. Presses, No. 31½ Bliss. Presses, No. 3, 5 Tol., Flyw. & B. G. Presses, So. 3 Tol. Elmes Hydr. 60x 108

Presses, 10 bench, Consol., Emco & Nia.

Presses, 40 var. sizes D. C. & O. B. I. Saws, 6°x6° Racine, Peerless, M. D. Saws, Band 36°x42° Motor Drive.
Saws, No. 2 Klemm Band.
Sbears, 10°, 10 gauge Stoll.
Sbears, 10°, 11 gauge Toledo.
Sbears, 6°, 3′16° cap. Stoll Ga. M. D. Sbears, 6°, 3′4° cap. Stoll gap frame.
Sbears, 6°, 4° cap. Stoll, gap frame.
Shears, 6°, 4° cap. Gape Niagara.
Shears, 6°, 4° cap. Gape Niagara.
Shears, 6°, 4° cap. Gape Port. Allig.
Tappers, Carvin, Holmes, National.
Upcetters, 3° Ajax, Labe Type.
Welders, 54° various sizes, both spot & seam. including Taylor - Winheld, Gibb & Federal.

And a complete stock of fine up to date equipment

HARVEY H. GOLDMAN

10567 Graitot Ave.,

Detroit, Michigan

OUALITY TOOLS

BROACHES

No. 3 Oilgear hydraulic. 10-ton Metalwood vert. hydr. 15-ton Oilgear vert. hydr. 20-ton American vert. hydr. No. 3 La Pointe double. Nos. 3 & 4 La Pointe. No. 3 American rack type.

GRINDERS

16"x68" Landis No. 4 crank. 6"x18" to 16"x72" Landis. 6"x32" to 14"x72" Norton. No. 70 Heald internal. Nos. 1 & 2 B. & S. universal. Nos. 2 & 3 Ohio univ. tool. No. 2 B. & S. surface. No. 8 Abrasive surface. No. 16 Blanchard surface. 30" & 53" Besly disc. 16", 24" & 30" Gardner disc. No. 6-18-I Besly disc, m. d. No 2 Cincinnati centerless. Pratt & Whitney worm.

LATHES

14"x8" Hendey, geared head.
14"x8" Cisco, geared head.
16"x6" Cisco, geared head.
16"x6" Codge & Shipley.
18"x8" Hendey.
18"x8" Hendey.
18"x8" Adege & Shipley, grd. hd.
20"x8" American, geared head.

MILLERS

Nos. 2, 3 & 4 Cincinnati. Nos. 14, 2 & 3 Brown & Sharpe. Nos. 14AS & 2 Milwaukee. Nos. 14AS & 2 Milwaukee. Nos. 14, 2 & 24 Rockford. 24" & 48" Cincinnati duplex. 24" & 48" Cincinnati automatic. No. 1404 Mil-Waukee-Mil duplex. 36" Ingersoll rotary. 48" Ohio tilted offset. 48" Newton rotary. Nos. 4 & 6 Becker vertical. No. 3 Brown & Sharpe vertical No. 3 Cincinnati universal. 26"x24"x6' Ingersoll adj. rail.

1500 TOOLS IN STOCK. SEND FOR LIST.

MILES MACHINERY CO., Saginaw W. S., Mich.

High Grade Machine Tools

Lathes

42°x34' American Grd. Hd., S. P. D.
42°x34' Putsam Grd. Hd., S. P. D.
42°x34' Putsam Grd. Hd., S. P. D.
36°x18' Amer. Grd Hd. S. P. D.
26°x18' Amer. Grd Hd. S. P. D.
24°x16' American Grd. Hd. S. P. D.
24°x16' American Grd. Hd. S. P. D.
18°x16' Lodge & S. Grd. Hd. S. P. D.
18°x10' Lodge & S. S. P. D.Grd. Hd.
24°x10' Bradford Geared Head Taper,
Arranged Motor Drive.
28°x48'x10' Harrington, Std. Bed.
30°x18' American Cone High Duty.

Arranged Motor Drive. 28*x46*x 10' Harrington, Slid, Bed. 30*x 18' American Cone High Duty. 20*x 10' American Grd. Hd. S. P. D. 36*x 16' Lodge & S. Sel. Grd. Hd. 30*x 12' L. & S. Sel. Grd. Hd., M. D. 20*x8' Am. Grd. Hd., M. D., late. 20. 30*x² Y. Mouarch Helical G. H. Gap

Grinders

18°x96° Norton Grinder.
16°x48° Landis Crankshaft.
16°x48° X 72° Landis Crankshaft.
No. 2 Diamond Surface.
Type A Production Abrasive Finishing
Nos. 50, 55, 60, 65 and 70 Healds.
6°x18° Landis Plain, Self Contained.
10°x52° Landis Plain, Self Con.
Rivett Internal Grinder.
No. 2 Brown & Sharpe Surface.

Gear Cutters

No. 1 Brown & Sharpe Gear Tester. No. 615 Fellows. 36BM Gould & E. Gear Rougher. No. 3, 26° Brown & S. Gear Cutter. No. 4, 48° Brown & Sharpe. No. 5—40° Newark Hobber. No. 1, 2, 4 Adams Farwell Gear Hb. 18-H Gould & Eberhardt Hobber. 6°, 11°, 18° Gleason Gear Generators.

Bolt and Pipe Threaders 21/2" Bolt Landin, Lead Screw, Cone.

2º Landis Pipe Machine, M. D.
2º Landis Pipe Machine, Cone.
1½º Landis Spl. -Sp., Grd. Hd. m. d.
2º Landis Double-Spindle.

Boring Mills

No. 35 Landis, Floor type. 14' Betts, Cone Drive. 72" Betts Cone Drive. 60" Niles Boring Mill, 2 heads. Milling Machines

No. 2 & 3 Kempsmith Plain, M. D. No. 24 Brown & Sharpe. No. 3 LeBlond H. D. Plain. No. 3 Kempsmith Universal. No. 3 Kempsmith Universal. No. 2 Rockford Universal, complete. No. 4 Chicinsait H. P. Pl., S. P. D. No. 3 Cimcinnait H. P. Hi. P. Wr., S. P. D. No. 3 Cimcinnait H. Hi. Pwr., S. P. D. No. 3 Embliance of the State of the S

Planers

48x48x10 Cleveland Openside, 3 hds., Motor Drive. 30x30x8t Cleveland, Openside. 30*x36*x10t Cincinnati. 24*x24*x8t Gray Planer.

Radial and Upright Drills 24° Cincinnati Bickford Upright, tap, 2½, 3, 3½, 6° Cinci. Bick. S. P. D. 3, 3½, 4 American Trip. Pur. S. P. D. 3) Bickford Plain, S. P. D. No. 2 Colburn Mig. H. D. 2-spindle. No. 40 Natco Straight Line Multi.

Shapers

16^a American S. P. D. Univ. Table. 28^a Gould & Eberhardf High Duty. 16^a.20^a.24^a G. & E., mtr. dr.thrug.b. 16^a. 20^a and 24^a G. & E., cone drive.

Miscellaneous

No. 3-B LaPointe Broaching Mche.
60lb. Bradley Cushion Helve Hammer.
High Speed Riveting Hammers.
Not. 1& 3 Baker Keyseating Mches.
No. 2 Mitts & Merrill Keyseater.
Vil 8 Amer. Vett. Broaching Mche.
15, 30 & 50 Ton Lucas Forcing Pr.
No. 50 Toledo Arch Press, 10⁴ stroke.
96-A Toledo Dible. Cr. Straight Side.
No. 2 L. & A Punch & Shear, M.D.
No. 1 & 2-X Garvin Tapping Mches.
No. 4 W. & S. Univ. Turret Lathe.

Write for Complete Catalogue-We Buy, Sell and Exchange

Cincinnati Machinery & Supply Co., 28 West Second St., CINCINNATI, OHIO

A FEW TOOLS SELECTED AT RANDOM FROM OUR STOCK

No. 3 OHIO PLAIN MILLING MACHINE, Rectangular overarm—motor in base.

No. 5 CINCINNATI PLAIN MILLING MACHINE, Single Pulley Drive, Slotted Nose, high power type. Power rapid traverse, with Vertical Attachment.

31/4 AMERICAN RADIAL DRILL, Triple Geared.

No. 2 BROWN & SHARPE SURFACE GRINDER, with Magnetic Chuck.

Hundreds of other tools to select from

Indianapolis Machinery & Supply Co., Inc. 1959 South Meridian St., Indianapolis, Indiana

We have to offer the following Adjustable Snap Gauges. Most of these are manufactured by G.T.D., Johannson and Standard Ga. Co. These have been used but are practically new. We are pricing them at less than one-quarter of their market value.

| Plain Limit Snap Gages Style A | | Rapid Inspection Limit Snap Gages Style C | | | |
|-----------------------------------|--------------------|--|--------------|-----------------------------------|----------------------|
| Frame No. | Range in Inches | Our net Price | Frame No. | Range in Inches | Our net Price |
| 0 | 0- 1/4 1/4- 1/2 | \$1.00 | 0 | 0- 14 14- 12 | \$1.00 |
| 3 | 14-14 14-14 | 1.20 1.30 | 3 | %- % | 1.20 |
| 5 | 11/2-11/2 | 1.50 | 6 7 | 144 - 172 172 - 134 134 - 2 | 1.50 1.60 1.70 |

SHORE SCLERESCOPES

2-Type C-slightly used-each \$65. 2-Type D-slightly used-each \$85.
Perfect Condition.

Send For Our Special Bargain Lists of Small Tools: TAPS - DRILLS - REAMERS - FILES - HACKSAW BLADES -MILLING CUTTERS - VISES - CHUCKS - Etc., Etc.

Get On Our Mailing List!

DeWITT TOOL COMPANY, 252 Lafayette St., NEW YORK CITY

SPECIALS

| No. 2B Brown & Sharpe heavy duty Mill, single pulley drive | \$425. |
|---|--------|
| No. 2 Brown & Sharpe universal Mill, new dividing head, vise | 495. |
| | 550. |
| No. 75 Consolidated straight side geared Punch Press 3" stroke | |
| 3' Openside Whip Planer 18"x46" table | 375. |
| 31 Cincinnati Bickford Radial drill, gear box, tapping attachment | 450. |
| 22° Cincinnati Drill Press, sliding head, back grd. power feed, tapping att | 250. |

MANY OTHER BARGAINS!

Send us Your Inquiries

SURPLUS STOCK & MACHINERY CO., INC. 1133 W. Lake Street CHICAGO, ILL.

Tools Worth Whi

BORING MILLS

36° Bullard New Era type. 24° Bullard vertical rapid prod. type. 2—Barnes horiz, boring & dril, mche. 6" bar Barrett horizontal.

52* Bullard two heads on cross rail. MILLING MACHINES No. 4 LeBlond cone drive plain. No. 3 Cincinnati cone drive plain.

No. 2 Rockford all geared, single pulley drive, plain with vertical attachment. 2—No. 2 Cincinnati cone drive plain. 28° Cincinnati semi auto, m'g, type.
3—Type A Gooley & E. m'g, type.
No. 2 Knight vert, milling and drilling. No. 1 Cincinnati universa Icone type.

2—No. 3 Cincinnati univ. cone type.

No. 2M Potter & J. dbl. table auto.

4* Newton double end spline.

No. 3 Cincinnati vertical. DRILLS

2—4 spindle Avey No. 2 high speed. 2—2 spindle No. 2 Avey high speed. 1—No. 2 Allen 2 spindle high speed. 6-Avey single spd. No. 2 high speed. 2-No. 416 Baker heavy duty 5° sp. No. 314 Baker heavy duty. 28* Aurora sliding head b. g. 24* Foote Burt.

2 - Barnes horizontal adjustable head.
No. 1 - 16 spindle Baush multiple.

LATHES

36"x15" Bridgeford al lgrd., mtr. dr. 18"x10" Bradford quick change. 18"x8' Hendey taper attachment. 18"x8' Monarch quick change.

16"x6' Hendey taper attachment.

16"x8' Monarch quick change. 16"x8' American quick change. 14"x6' Hendey taper attachment.

3-12"x51 Hendey quick change. 10 Coulter automatic threading. GRINDERS

No. 4 B. & S. universal, belt drive, Springfield 45^a vertical and horizontal

rotary oscillating surface.

Nos. 2 & 3B, & S. Univ., belt drive.

14*x36* Queen City self contained. 10x36 Landis plain self contained.

10x30 Lancia pians ser contained.
3—No, 11 B. & S. plain self cont.
2—No, 65 Heald internal.
2—No, 70 Heald internal.
No, 2 Sellars universal tool.
2—No, 3 Wilmarth & Morman sur.
No. 6 Gardner B. B. disc. belt drive.

PRESSES

No. 4 Bliss Consolidated m. d. 3" str. No. 57½ Cons. d.b. q. trim. press 10" st. No. 92½ C Toledo d. c. b. g., 3" str. About 20 O. B. I. all sizes. 5HAPERS

2-24° G. & E. b. g., cone drive. 20° Springfield b. g., cone drive. 20° G. & E. back geared, cone drive. 2-16° G. & E. back geared, cone dr. PLANERS

48"x48"x12" Cleve open side, m. d. 36"x36"x12" Bickett double housing. 30"x30"x10" Liberty open side. 26"x26"x5" Cincinnant übl housing.

19x12x14 Bury air compressor. No. 26 Williams & White bulldozer. No. 4 Williams & White bulldozer.

No. 712 Fellows gear shaper. No. 4B Etna swager. No. 652 New Britain automatic chucking machine, motor drive.

—1/2" Landis double spdl. bolt cutters.

2ª Acme double spindle bolt cutters.

RIVERSIDE MACHINERY DEPOT

255 St. Aubin Avenue.

Detroit, Mich.

HITCHCOCK PUBLISHING CO. 508 S. Dearborn St., Chicago, Ill.

Please send your Machine Tool Blue Book, without cost, to the following members of our organization, who have to do with planning the equipment of our machine shops and the selection or purchase of our machine tools and other shop requirements:

| (Give both names and titles) | |
|--|------|
| | |
| | |
| | |
| | |
| | |
| | |
| * | **** |
| | |
| | |
| | |
| | |
| It is understood that you are to use the above names as a mailist for your Machine Tool Blue Book only, and that they will not used for any other purpose. | be |
| Name | **** |
| Street No. | , |
| City State | |

Consolidated Used Machinery Mart, Inc. MACHINERY

New-Used-Rebuilt Machine Tools-Surplus Machine Supplies and Shop Equipment 440 N. Oakley Blvd. Phone Seeley 5740 Chicago, Ill.

BENCH LATHES: 9x3 South Bend. HORIZONTAL BORING MILLS Binsse 3" Bar, 20x36, 4 step cone. Beaman & Smith, 3½ Bar. 3—36x60 Table, S. P. D. BROACHES Nos. 1 & 2 J. N. La Point Broaches. DRILLS

1, 2 & 4 Spindle Avey Drills, 24^a Barnes Camelback.

24* Barnes Camelback. 24* Cincinnati B. G., 4 step cone. 21* Canedy-Otto. 20* Rockford, 4 Step cone. 14* C. Sensitive Drill Press, Motor Dr. No. 3 H. & W. 16* Heavy Sensitive. 4 Spindle Barnes Camelback. RADIAL DRILLS 4* American Radial, Arr. for M. D. CTAR MACHINERY

GEAR MACHINERY No- 612 Fellows Gear Shaper. 16" G. & E. Idobbing Machinery. GRINDERS

No. 2 Brown & Sharpe Surface. Cincinnati T. & C. Grinder, 8x8 cap.

Grand Rapids Drill Grinder. 24x 10 Wickes Semi Q.C. 3 Step cone. 48x24 McCabe, dbl. sp., faceplate cks. 36" Pond, tr.b.g., pl., 16" bed, 5st.cone. 32x20 New Haven Plain. MILLING MACHINES No. 3 (incinnati Plain, 3 step cone. No. 2 Kempunith Motor Drive. VERTICAL MILLING MACHINES No. 5 Becker, 3 step cone, C. S. D. No. 3 Becker, rack feed. No. 3 Becker, rack feed.
Knight vert. 4st. cone. p. d., 7x28 tbl.
SCREW MCHS. & TURRET LATHES
No. 1 Foster, W. F., 3 Step Cone.
No. 00 Brown & S. Hand, 3 Step Cone.
No. 00 Brown & Sharpe Automatic.
No. 4 W. & S. pl., b.g., fire, b.d., 3 tc.,
Model B Woods Tilled, ½ cap. W. F.
No. 0 Foster, W. F.; 3 step cone.
No. 3 Warner & S. Flat Turret Lathe.
No. 515 Acre. Auto. Screw Machine. No. 515 Acme Auto, Screw Machine. 24x6 Gisholt Hex. Turret Lathe. 3x16 1. & L.

FOR SALE

At Day-Evans Iron Works. - Knoxville, Tenn.

AXLE LATHES, Motor Driven.
BULLDOZER, No. 26 Williams-White. UPRIGHT AND RADIAL DRILLS. ELECTRIC GRINDERS. HAMMER, 500 lb. Bradley. ELECTRIC MOTORS.

PUNCH PRESSES.
SQUARING SHEAR, 81x1/2" Williams

Landis head ENGINE GENERATOR SET. GEAR SHAPER, Fellows No. 612. LATHES, Sidney & LeBlond Grd. Hd., 24-48 McCabe. 16' bed; Tur. Lathe PUNCHES AND SHEARS.

BOLT CUTTER, 2º National with

FUNCHES AND SHEARS.
SQUARING SHEAR, 8'x½' Williams
White, Motor Drive.
WHEEL PRESS, 200 too Lourie, M. D.
BORING MILLS, 34' up to 10'-16'.
MISCELLANEOUS—Such as Platform
Axie Straighteners; Surface Plates; Forge; Cut-off Machines, Ezc.

WOODWORKING MACHINERY

Consisting of Jointer, Fay & Egan Band Saws; Boring Machines; Surfaces; Variety Saws; Saw Filer: Pattern Makers Lathes; Wood Planers, Beach Trimmers, Etc. All Motor Driven.

THE NORTON-BROADWAY MACHINERY CO. 610 Baymiller St., Cincinnati, Ohio

See our representative at DAY-EVANS plant, or THE W. S. MURRIAN CO., KNOXVILLE, TENN.

IS IT HERE?

Alligator Shrs., Nos. 1½ & 4 D. & K. Arc Welders, 300 Amp. Lincoln. Brakes, B & P., Chg. St. 3 & 5'; 8'10. Brakes, Hand 3 to 12'; Power, 6' ¼"; 6' ¼"; 12' ¼". Drills, 20"Camel Back; L.G. No. 1, 2, 3,

4. No. 12 Natco P. F; No. 3 Aveys.

Nibblers, Nos. 1, 1-B Campbell; Gray. Presses, o.b.i. Nos. 0 to 6 B.G. No. 3½; No. 7 Toledo; Arch, No. 05 Leffler; No. 30 Blins; Horn, 14, 14½ Toledo; No. 24, 39, 39-B Blins; S.S. No. 74½ Bliss; D.C. No. 202-E & 91-C Tol. Rolls, 42"1 [ga.; 10'18"; 8'34"; 16'34"

10-No. 25 Becker Millers ea. \$100. 6-25° Barnes b. g., p.f. Dr. ea. 75. No. 9 B. & O. Tur. Lathe P. F. 225. No. 2 Ajax Bulldozer. Nos. 2 & 4 Lapointe Broaches. No. 3 B. & S. Planer Type Shaper, Elec. Drills 1/4", 1/2", 3/4" & 1" B. & D

-WHILE THEY LAST !-8-No. 6-A P. & J. Tur. Lathes \$250.

Gear Hobbers, No. 18-H Gould & Eberhardt, No. 12 Barber-Colman. Lathes, Hendey 200 x 121; P.&W. 160 x Latries, Flendey 20"x12"; F. o. w. 10"x 10"; 14"x6'; 24"x16' Cinc.; 16"x8' American; 24"x12'; 30"x18'. Millers, No. 2 Van Norman, No. 3 Kemps. Univ.; No. 1, 2, 3 Pl. Kemps. Presses, deep throat, Nos. 15 & 17. Shapers, G. & E. 16*, 20*, 24*; 28* American S. P. D.; 24* Cincinnati Shaper-Planer Shrs., pwr. sq. 36*18; 72*14; 8'16; 8'
14; 12'14; 62*3/6*; 6'3/8*; 10'3/6.
Spinn. Lathes, Pry. 22*; Gap 27/60*.
Welders, 10 K. W. Federal 24* arms. H-D-48 Amer. Electric 2 pcs. 1/4".

"America's largest stock of Sheet Metal Machinery"

INTERSTATE MACHINERY CO., INC. CHICAGO, ILL. 130-2 So. Clinton St.,

High Grade Miscellaneous **Production Tools**

1-10x18 Cincinnati Plunge Cut Grinder, motor drive.

1-10x24 Norton BA Plain Grinder, motor drive.

| -- 10x24 Norton BA Plain Grinder, motor drive.
|-- 18³ Gisholt Simplimatic Hardened Ways, motor drive.
|-- No. 72-A-3 Heald Internal Grinder, motor drive.
|-- No. 72-A-3 Heald Internal Grinder, motor drive.
|-- No. 3-A Warner & Swasey Universal Turret Lathe, Chuck.
|-- No. 3-A Warner & Swasey Universal Turret Lathe, Chuck.
|-- 18³ Libby Heavy Duty Turret Lathes, motor drive.
|-- 16³ Libby Heavy Duty Turret Lathes, motor drive.
|-- No. 1-B Foster Turret Lathe, geared head, with auto. chuck.
|-- No. 2-B Foster Turret Lathe, geared head, with auto. chuck.
|-- No. 4-B Heavy Brown & Sharpe Plain Miller.
|-- No. 4-B Heavy Brown & Sharpe Plain Miller.

-No. D-I Minster Heavy Duty Drill.

I-No. D-3 Minster Heavy Duty Drill. I-No. 250-H NATCO Hydraulic Drill, motor drive.

WE CARRY A FULL STOCK OF USED MACHINE TOOLS-

Your inquiries will be appreciated.

The Strong, Carlisle & Hammond Co. 2832 East Grand Blvd. 1392 West Third St. **DETROIT. MICHIGAN** CLEVELAND, OHIO

REYNOLDS' BARGAINS

No. 3 Brown & Sharpe Universal Miller, power rapid traverse-95% new.

No. 26A Blanchard Automatic Grinder, used 6 months. 42"x42"x14' Detrich & Harvey Open Side Planer, 3 hds. 30"x24' LeBlond Geared Head Motor Driven Lathe.

No. 4 Cincinnati Vertical Miller, High Power Type.

No. 21/2 Bath Universal Grinder with full equipment. No. 63 Bliss Power Press, geared, straight side.

24" Bullard Vertical Boring Mill.

Geo. T. Reynolds & Son, Inc. 175 Pine Street, Providence, R. I.

Honest Representation-Write Us

Arbor presses, Nos. 1 to & Greenard. Automatics, No. 1 B. & S. automatic

Automatics, No. 1 B. & S. automatic turret former with collets. Brakes, 5 & 6 Dries & Krump hand or power, m. d.; 10 K. & D. hand. Drills, 1, 2, 3, 4 & 6 spd., ball bear-ing Leland & Gifford, Sipp, Avey. Filing mchs., No. Pl, P4 Oliver, md. Gear hobbers, Nos. 3, 12 Barber-C., over 2600 ser.; 18 H G. E., late type.

Burke hand; 24" Cincinnati dup.;

Burke hand; 24° Cincinnan dap.; 18° Cincinnati mfg. type. Nibblers, No. 1 Campbell; No. 00 Gray; No. 015 Unishear, m. d. Planer, 30×30×8 Gray. Punch presses. O. B. I. Nos. 2 & 3 Consolidated; No. 2 L. & J.; No. 19

Bliss; No. 5R Rockford, geared; No. 91C Toledo dbl. crank; No. 38 Bliss toggle, horn.; No. C52 Ferra-

SPECIALS .

TOOLROOM LATHES, 16"x8' Lodge & Shipley q. c, g., t. a., 14 collets, 2 chucks; 16"x6' Monarch, geared head, q.c.g., t. a. and chuck. No. 2 Van Norman Miller.

Grinders, No. 14-20 Gardner disc, b.

Grinders, No. 14-29 Gardner diac, b. b.; No. 2 Oakley p. f., tool & cut. Hack saws, Nos. 1, 2 Marvel; \$86, 929 and 13x16 Peerless.

Lathes, 2", 4" Hardinge bench; 16x8 Monarch; 18x8 South Bend gap, swing 26", m.d.; 19x8 Sidney t. a.; 18x10 Bradford; 20x10a_LBlond; 24x10 Ryerson G. H. Millers, No. 3 B. & S. vert.; No. 3 Kemp, pl.; Nos. 1 & 2 B. & S. pl. univ. No. 2 Cincinnati univ. No. 5

univ.: No. 2 Cincinnati univ.: No.5

cute; No. C92 Ferracute notching. Citie; No. Car Ferracule folding. Roll, 10° Bertisch, drop end housing. Screw mchs., Nos. 0, 1, 3, 7 Foster; No. 4 W. & S. univ., g.h., arr. m.d. Shapers, 15° P. & J; 16° G. E.; 24° Milwaukee, b. g.; 24° Cinc.,

crank planer type.
Shears, Nos. 162, 862, 896 Nia, pwr.;
No. 95 Niagara cir., flanging att.
Spinner, No. 107 Grant.
Welders, Spot, 5 K. W. Dyer;
17 KVA Thomson-Gibbs.

VICTOR MACHINERY CO., 126 128 S. Clinton St., CHICAGO, ILLINOIS

1-5000 K.W., 2300 Volts, G. E. Turbo Generator. Used ! year. Air compressor, Chicago Pneumatic, 4 cylinder, Duplex, 4700 cu, ft.,

Air compressor, Chicago Freumatic, 4 cylinder, Duplex, 4700 cu. It., 125 lbs. pressure, 1000 h. p. synchronous motor, used six months. No. 27U Buffalo, Universal punch and shear, very good condition. 10-Ton Alliance crane, 46' 111/2" span, 3 motors, d. c. No. 40 Landis floor type mill, 4" bar, Motor drive.

No. 35 Landis floor type mill, 31/4" bar, Motor drive. 4-Ton Monorail crane, cage operated.

4-Ton Monorail crane, cage operated. 1-36"x36"x10" Ingersoll Mill, 3 Heads.

American Machinery Co., 5511 Euclid Ave., Cleveland, Ohio

40° x26° New Haven L. G. G. Lathe. 2000 lb. Chambersburg Brd.D. Ham. 2000 lb. E. de S. Bed. Drop Hammer. 1500 lb. Erie Board Drop Hammer. 1500 lb. grif rame steam forg. hammer. Pitman Alligator Shear, cap. 1½°. 26° x1° Wickes D. B. G. Hyy. Duty 10° Niles Vertical Boring Mill. B. D. No. 00 Baker Keyeaster. No. 3 H&J dbl. angle Sh., cap. 6x6x1°. H &J. St. Punch 52° Th., cap. 1½x1° 24°x16′ New Haven Lathe. Lennox Rotary Beve Shear, ¾° cap. 2 Shuster ¼ 1 Straight in 8 & 12 Leut-off.
No. 5 Marvel Hack Saw. B.D., 6 % X6
No. 5 Marvel Hack Saw. B.D., 6 % X6
No. 3 Cim. Pl. Mill. Miche. cone dr.
10' Garnison Fow. Press Briske, 1.6 ga.
No. 12 Erie & No. 3 United Tim. Pt.
No. 3.B Blins Stilles Pattern M.D. Pt.
32' Cinc. M. D. Heavy duty shaper.
32' Sinc. M. D. Heavy duty shaper.
32' Sinc. M. D. Heavy duty shaper.
32' Sinc. M. D. Heavy duty forging machine.
48' x48' x 12' D & H dbl. hous. Planer.
48' x48' x 12' D & Shaper, motor dr., D.C.

Russell Machine Co., 438 Oliver Bldg., Pittsburgh, Pa.



No Risk-Completely Rebuilt

42° King Vertical Boring Mill geared feeds, motor drive.
16-20-24° Gould & Eberhardt Shapers, gear boz, motor drive.
48° x48° x26' Cincinnati Planer, 4 heads, motor drive.
No. 2 Brown & Sharpe Surface Grinder with magnetic chuck.
No. 5-C Becker Vertical Mill, Rodary Table, motor drive.
18° Cincinnati Duplex Milling Machine, motor drive.
6' American Plain Radial, gear box, motor drive.
6' Cincinnati Bickford Plain Radial, gear box, motor drive.
No. 4 Cincinnati Plain Miller, high duty, s. p. d.
Send for Complete Stock List.

Iroquois Machinery Co., No. 640 Ohio Street,

Take A Look at These Buys

No. 308 Bliss Straight Side single crank press, 8s stroke with air cushion.

No. 3 National Machinery Co. "Maxipress," motor drive.
No. 181S Toledo Toggle drawing press, 14" shaft, 42" plunger stroke, motor drive.

No. 545½ Hamilton double crank press, 4" stroke, arranged for motor, bed 34"x54".

for motor, bed 34"x54".

No. 8 Bliss double crank press, 10½" stroke, arr. for motor, bed 36"x50".

No. 944 Toledo double crank press, 4° stroke, arr. for motor, bed 38°x72°.

No. 95%D Toledo double crank press, 12" stroke, arr. for motor, bed 40"x84".

14"x72" Norton plain grinder, rebuilt, very good. No. 6 Becker vertical millers, with rotary.

1/3"-%"-%"-34" Cleveland automatics.

12 ft. Robinson double slide toggle brake. 36⁸ Cincinnati back geared, tapping attachment.

A. D. White Machinery Co., 108 N. Jefferson St., CHICAGO, ILL.

LATHES

140x61 Monarch, quick change. 16"x8' Hamilton, quick change. 17"x 8' LeBlond, quick change. 24"x 14' LeBlond.

TURRET LATHES and SCREW MACHINES

Automatic, National-Acme. 21 & 24 Gisholt, % capacity, 1% cap. Smurr & Kamen. Acme, like new.

SHAPERS

15" Smith & Mills, motor drive. 25° Smith & Mille, back grd.crank. DRILLS

Baush No. 1, multiple spindle.

6' ceiling. 32" Hoefer, sliding head. No. 66D Moline hole hog.

MILLING MACHINES

24"x20"x8' Ingersoll. No. 5 Becker vertical. No. 1½ American plain. No. 2 Brown & Sharpe, heavy.

MISCELLANEOUS

Band saw, Clark, compound. Press, Cam Drawing, No. 24Toledo Gear miller, No. 1 Bilton Sand Blast, Boland. Shear, Loy & Nawrath 1/16" cap. 101. Planers, Gray, 36" and 42".

COLUMBUS

Index of Advertisers

| A | | F | |
|----------------------------------|----|-------------------------------------|------|
| Abart Gear & Machine Co | 21 | Flynn Manufacturing Co | 15 |
| Acme Industrial Co., | 21 | Foote-Burt Co | 6 |
| Alamo Engine Co. | | Ford City Machinery Sales 70 | 71 |
| American Machinery Co | 82 | Fraim Lock Co., E. T. | 59 |
| American Tool Works, Inc. | 41 | Fram Lock Co., E. I | 39 |
| Anderson Bros. Mfg. Co | 42 | | |
| Angle Steel Stool Co | 13 | _ | |
| Armstrong-Bray & Co | 48 | G | |
| Armstrong Bros. Tool Co | 37 | Genesce Mig. Co., Inc. | |
| Armstrong-Blum Mfg. Co | 15 | Gerding Bros | 48 |
| Atlas Press Co | 4 | Gibeon Hotel | 50 |
| | | Goldman, Harvey H | 74 |
| B | | Graham Manufacturing Co. | 19 |
| Baumbach Mfg. Co., E. A | 46 | Grant Mfg. & Machine Co | 39 |
| Belyea Company | 60 | Grigsby-Grunow Co. Inc | |
| Bernstein & Co., Geo. M | 66 | | |
| Bleser Mfg. & Mchy. Co | 68 | | |
| Bradley Machinery Co | 68 | н | |
| Brown Machinery Co. | 66 | н | |
| Brownell Machinery Co | 64 | Hamilton Tool Co | 47 |
| Buffalo Forge Co. | 9 | Hardinge Brothers, IncFront Co | over |
| Burke Machine Tool Co | 33 | Hartford Special Machinery Co. | 40 |
| Datae Machine 1 our Commission | | Herben Machinery Equipment Co. | 65 |
| c | | Heuser Manufacturing Co | 25 |
| Carroll & Son, Wm. | 49 | Hill-Clarke Machinery Co | 73 |
| Chicago Die Casting Mfg. Co | 29 | | |
| Chicago Wheel & Mfg. Co44 | | | |
| Cincinnati Mchy, & Supply Co | 75 | | |
| Clements Mfg. Co. | 31 | | |
| Consolidated Used Machinery | 2. | Illinois Testing Laboratories, Inc. | 46 |
| Mart, Inc. | 79 | Indianapolis Machinery & Supply | |
| Culiman Wheel Co Back C | | Co | 76 |
| | | Interstate Machinery Co | 80 |
| D | | Iroquois Machinery Co | 82 |
| | | | |
| Davis Machinery Co | 67 | | |
| De Witt Tool Co. | 76 | | |
| Dreis & Krump Manufacturing | 39 | | |
| Company | 37 | Johnson & Sons Mchy. Co., Wm. C. | |
| _ | | Jones Mch. Tool Co. Cincinnati. | 60 |
| E | | | |
| Eastern Machinery Co | 72 | | |
| Einler Engineering Co., Inc | 46 | K | |
| Elyria Belting and Machinery Co. | 62 | | |
| Emerman, Louis E. | 82 | Kennard-Rafkin Machinery Corp. | 69 |
| Essley Machinery Co., E. L | 62 | Klauber Mchy. Co., E. L, | 59 |
| | | | |

Index of Advertisers-Continued

| L L | | 8 | |
|--------------------------------|------|-------------------------------------|--|
| L-W Chuck Co | 43 | Sampson Tool Co., Inc | |
| Lewthwaite Machine Co., T. H. | | Saw & Knife Specialty Co 23 | |
| Libert Machine Co. | | Scott-Bansbach Machinery Co 65 | |
| Lucas & Son, J. L. | | Segal Machinery Co | |
| Luma Electric Equipment Co | 42 | Sheldon Machine Co | |
| | | Skilsaw, Inc | |
| M | | SpeedWay Mfg. Co | |
| McDonald Machinery Company. | 62 | Stackbin Corp. 11 | |
| Mail Tool Company | | Standard Engineering Works 25 | |
| Marr-Galbreath Machinery Co | 63 | Strand & Co., N. A | |
| Martin Tool & Die Works, J. E. | 27 | Strong, Carlisle & Hammond Co. 80 | |
| Mendes Cutting Factories | | Sun Machinery Co | |
| Metals Coating Co. of Am | 29 | Sundstrand Machine Tool Co. 7 | |
| Meyer Blower Co., Wm | 64 | Surfacer Manufacturing Co | |
| Midwest Equipment Co | 62 | Surplus Material & Mchy. Co 68 | |
| Mid-West Machine Tool & Sup- | | Surplus Stock & Machinery Co 77 | |
| ply Co. | 64 | waspies brock of tribulancity Co 77 | |
| Miles Machinery Co | 74 | man. | |
| Morey Machinery Co. Inc, | 83 | 1 | |
| Mossberg Pressed Steel Corp | 32 | Tannewitz Works 50 | |
| N | | Threadwell Tap & Die Co 49 | |
| National Machine Tool Co | | | |
| National Tool Salvage Co | 49 | U | |
| Nichalson & Co., W. H | 5-48 | 11 - 1M 11 | |
| Norton-Broadway Machinery Co. | 79 | United Machinery & Supply Co. 68 | |
| Numberall Stamp & Tool Co | 47 | Universal High Speed Tool Co 47 | |
| _ | | Used and Rebuilt Machinery 59 to 84 | |
| 0 | 12 | v | |
| O'Brien Machinery Co | 67 | • | |
| Ohio Gear Co. | 43 | Valley Electric Corp | |
| Ohio Machinery & Supply Co | 59 | Victor Machinery Co 81 | |
| Osborne & Sexton Mchy. Co | 84 | Victor Machinery Exchange Inc. 10 | |
| Ott Machinery Sales Co | 67 | | |
| P | | w | |
| Procunier Safety Chuck Co | 40 | Wain Machinery Sales, Chas. E. 64 | |
| Production Machine Co | 31 | Walls Sales Corporation 27 | |
| Progressive Tool & Cutter Co | 50 | Walton Co | |
| _ | | Wardwell Manufacturing Co 17 | |
| R | | West Penn Machinery Co 61 | |
| Reliance Machinery Sales Co | 59 | Western Tool & Mig. Co | |
| Reynolds & Son, Geo. T | 81 | White Dental Mfg. Co., S. S | |
| Ridge Tool Co., | 8 | Inside Front Cover | |
| Riverside Machinery Depot. | 77 | White Machinery Co., A. D 83 | |
| Robertson Mche. & Fdy. Co., W. | 19 | Whitney Metal Too I Co 41 | |
| Roll Supply Co., W. C | 59 | Wigglesworth Machinery Co 64 | |
| Ross Co., David, J. | 23 | Wilson, K. R Inside Back Cover | |
| Russell Electric Co | | Wittek Manufacturing Co 37 | |
| Russell Machine Co | 82 | Wolnick Machinery Sales 68 | |

KRW Hydraulic and Sensitive ARBOR PRESSES

New Improvements, Special Built-in Features and Lower Prices make them an outstanding value.

"HE last word in convenience, efficiency and ease of operation. Built extra strong and well braced, with stee! trusses electrically welded, these presses will withstand strains that would cause presses of lighter and inferior construction to buckle or collapse.

Hand wheel for sensitive press operations has sliding handles which pull out to the ends for increased leverage. Work does not have to be changed from the work table as is the case with other make presses having a separate sensitive press unit mounted on the side or elsewhere.

The importance of this KRW feature as a time and labor saver can be appreciated. Also there is NO EXTRA CHARGE for this important built-in feature on a KRW Press. Work table can be raised easily with one hand. A strictly one-man Press.

Write for special circular, just off the press, giving full details and specifications of all KRW Arbor Presses.



F. O. B. Factory, Arcade, N. Y.


No. 37-35 ton Hydraulic and Sensitive Arbor Press (hand operated) \$128,00 No. 37B-35 ton Hydraulic and Sensitive Arbor Press (air-oil operated) 128.00 No. 37E-50 ton Hydraulic and Sensitive Arbor Press (hand operated) 150.00

(Can also be furnished in air-oil operated at same price) No. 37F-70 ton Hydraulic and Sensitive Arbor Press (hand oper, only) 275,00 Gauge and fittings, \$15.00 extra on all presses.

K. R. WILSON

10-16 Lock Street, Buffalo, N. Y., U.S. A. EXPORT DEPARTMENT WEST COAST BRANCH 90 West St., New York, N. Y. 722 Mateo St., Los Angeles

CULLMAN SPEED REDUCERS



Made for motors from 1/8 to 15 H.P.

- Also

Sprockets-Lathe Drives

Write for Catalogue

The Cullman Wheel Co.

1359 Altgeld Street,

Chicago, Illinois

